

83

243.2

10  
18  
1986

9

6(9)/85-TC  
Government of India  
Ministry of Labour

2

Registered

Directorate General of Employment & Training.

New Delhi, dt. the 3/1/86 1986

The Director of Employment & Training,  
All State Directors/U.T. Administrators  
(Dealing with Craftsmen Training Scheme)  
Badhika, Thycaud, Trivandrum-650 014.  
(\*Attention of Shri B.K. Jaiswal\*)

: Affiliation of ITIs/ITCs in your State/U.T. to N.C.V.T.

Enclosed, please find the following annexures to this letter

Annexure-A: Trade/Unit wise list of ITIs/ITCs giving details of the trades/units for which affiliation to N.C.V.T. has been granted.

Annexure-B: Trade/Unit-wise list of ITIs/ITCs giving details of trades and units, trainees of which have been permitted to appear in the All India Trade Test held in 1985.

1/3/86  
1/3/86

In addition to above, some inspection reports were scrutinised separately and were forwarded to the affiliation Sub-Committee members for their approval. Communications conveying affiliation/permission have been/are being issued separately on prescribed proforma. However a list of such ITIs/ITCs is enclosed as annexure-'C'.

In respect of some of the trades/units permission to trainees has not been given due to major deficiencies/discrepancies. The institutes/trades for which instructions have already been issued, may not be found covered in the above annexures.

The institutes/trades, started in 1982 or before, which have not been granted permanent affiliation so far, including those covered in annexures 'A', 'B' and 'C', stand de-recognised.

Any information given in the annexures mentioned above should be deemed to a repetition and not an additional one if any other information/instruction has already been issued or is covered in the above annexures for the same purpose.

6. Any discrepancy observed by you, after comparing the details of the above annexures, with your records may please be brought to the notice of this Directorate. The above annexures do not cover those institutes/trades for which inspection reports have been received after July, 1985. Such reports would be scrutinised in due course of time for considering affiliation.
7. In cases, where conditional affiliation has been granted, State Director is requested to confirm within 3 months that the condition imposed has been met with and the discrepancies have been removed. If confirmation is not received, affiliation granted is likely to be withdrawn.
8. Informations desired vide this Directorate letter No. DTT-5(12) 84-TC dated 18th May, 1985 is not already sent, may please be forwarded immediately as the same is required for their comparison with our records.

Yours faithfully

*(Signature)*

(K.C. Saksena)  
Director of Training.

103 / (19)

18- 239

|     | 1  | 2  | 3   | 4                                    | 5  |
|-----|----|--|---|--------------------------------------|--|
| 122 | 45 | Gimreh Center<br>Memorial ITC<br>Arthunkal<br>(Pvt./Old<br>6(9)(12)/85-TG            | 1- Electrician<br>2- Fitter<br>3- D/man(Civil)                                    | 2 units<br>-do-<br>4 units           | one unit<br>-do-<br>2 units<br>(one in each shift)                                 |
| 96  | 45 | ITC, Arbalapuzha<br>(Pvt./old)<br>6(9)(46)/82-TG                                     | 1- Electrician<br>2- D/man(Civil)   | 4 units<br>2 units                   | 2 units<br>(one in each shift)<br>-do-   |
| 101 | 43 | St. Joseph's I.T.C.,<br>THURAIKUR,<br>Distt. Alleppy.<br>(Pvt. old)<br>6(9)943/81-TG | 1- D/man(Civil)<br>2- Fitter<br>3- Electrician<br>4- <del>Fitter</del><br>Plumber | 2 units<br>4 units<br>-do-<br>1 unit | 2 units<br>(one in each shift)<br>-do-<br>4 units<br>(two in each shift)<br>1 unit |

159 contd. 19/- -2.  
ast

24625

Government of India

Ministry of Labour

भारत सरकार  
श्रम विभाग

(D.G.E. & T)

नई दिल्ली-110001

NEW DELHI-110001

No. DGT-6(9)/86-TC

2791

227

193

dt. 5/9/86

9

The Director,  
(dealing with Craftsmen Training Scheme) Kerala  
Thycaud-Trivendrum.

Subject:- Affiliation of ITIs/ITCs in various States/  
UTs to NCVT.

Sir,

Please find enclosed herewith a list of ITIs/ITCs of your State/UT permanently affiliated to NCVT/continuing as on 30-08-86. Permanent affiliation has been granted after scrutiny of Standing Committee inspection reports forwarded by you and approval of affiliation sub-committee members during its meeting on 29-08-1986.

2. ITIs/Trades, which could not be considered for permanent affiliation due to shortage of infrastructural facilities as per norms have also been included in the above list.
3. ITIs/ITCs for which standing committee had not recommended for permanent affiliation have not been considered.
4. ITIs/Trades for which instructions have already been issued or report received late, may not be found covered in the above list.
5. Any information given in the list should be deemed to be a repetition and not an additional one if the same has already been issued.
6. Any discrepancy observed by you, after comparing the details of the above list with your records may please be brought to the notice of this Directorate.
7. In case, where conditional affiliation has been granted, State Director is requested to confirm within three months that the conditions imposed have been met with and discrepancies have been removed. If confirmation is not received within the stipulated period, affiliation granted is likely to be withdrawn.

Yours faithfully,

*[Signature]*

(Director of Training)

78

A

h

249

-21-

| 1    | 2  | 3   | 4   | 5                       | 6  |
|------|--|---|---|-------------------------|--|
| 122. | St. Augustine's College<br>of Engg. & ITC, Nayarambalam<br>Cochin-6C 2509, Ernakulam Dist<br>(VSTL-6(S) (27))/C-2-TC | 1. Electrician  | 4 Units                                     | 4 Units                 | 4 Units<br>(2 in each shift)   |
| 123. | (See page 24)  |   |   |                         |  |
| 124. | St. Joseph's ITC, Thuvavoor,<br>Sherthallay, Alleppy Dist<br>(VSTL-6(S) (43))/C-1-TC                                 | 1. Fitter   | 2 Units<br>additional                       | 2 Units                 | 2 (one in each<br>shift)   |
| 125. | St. Joseph's I.T.C. Pallappally<br>Dist. P. Coode ITC. 6C95C5.<br>(VSTL-6(S) (30))/C-2-TC                            | 1. Electrician<br>2. Mech (Gen.<br>Electronics)                             | 4<br>2 shifts                               | 1<br>2 shifts           | Nil<br>2 shifts  |
| 126. | St. Mary's I.T.C. Minnam<br>6C5621, 1st. Pothanambhiteta<br>Kasr -6(S) (36))/C-5-TC                                  | 1. J/W (Civil)<br>2. Electrician<br>3. Fitter                               | 2<br>4<br>2                                 | 2<br>4<br>Nil           | 2 (one in each<br>shift)<br>-Go-<br>Nil                                |
| 127. | St. Mary's I.T.C. APTT.T<br>(Nunambulam)<br>Dist-6(S) (11))/C-1-TC   | 1. Koch (Gen<br>Electronics)  | 2   | 1                       | Nil ✓  |
| 128. | St. Mary's I.T.C. Manarood<br>Kottayam Dist.<br>VSTL-6(S) (14))/C-5-TC   | 1. J/W (Civil)<br>2. Electrician<br>3. Fitter<br>4. Welder<br>5. Koch (W/V) | 2<br>2 additional<br>2<br>2<br>3 additional | 2<br>2<br>2<br>Nil<br>3 | 2 (one in each<br>shift)<br>Nil<br>2 (one in each shift)<br>Nil<br>1 ✓ |

Cont.....

one

249



SPEED POST

No. DGET. 12/1/98-TC  
Government of India  
Ministry of Labour  
DGET

New Delhi : July 1, 1998

The State Directors/UT Administrators,  
Meeting with Craftsman Training Scheme,  
(or the List enclosed)

Thyssen,  
Trivandrum-14  
Kerala.

Subject: Affiliation of ITIs/IITCs

Sir,

The Standing Committee Inspection Reports (SCIRs) Departmental Inspection Reports (DIRs) and Supplementary Inspection Reports (SIRs), forwarded by you were scrutinised at this Directorate General and recommendations of DGET were put up before the members of the Sub Committee of NCVT dealing with affiliation in the meeting held on 30.6.98 at DGET Hqrs, New Delhi. The recommendations of the Sub Committee have been brought in the minutes of the Meeting. A copy of the Statement containing the names of ITIs/IITCs/Units/Trades in respect of your State, with remarks indicating the conditions for recommending affiliation etc. duly signed is enclosed.

On the basis of that, you may issue the affiliation orders to the Managements of the concerned ITIs/IITCs/Units/Trades, indicating:

1. Defects and deficiencies under 'Remarks' column 6 are to be made good.
2. The conditions of affiliation, if any, are to be complied with.
3. It has been resolved in the meeting that the trainees belonging to the trades/units kept under consideration (UC) may be allowed to appear in the ensuing All India Trade Test for Craftsmen. However, the SIRs in respect of all such cases should be submitted within three months and no admissions in August, 1998, should be made till the cases are not cleared by DGET.

You are requested to quote file No. indicated below institute's name in the list enclosed as dated 30.6.98 future correspondence relating to these ITIs/Trade


contd.....

It may clearly be noted that wherever Not Recommended (NR), Not Considered (NC) has been mentioned, in column 5 of the enclosure, the concerned institute may be instructed not to admit the trainees from the next session and the trainees if any, undergoing training in such trades/units in such ITIs shall not be permitted to appear in All India Trade Test by NCVT. It has also been observed that some State Directors allow the trainees of unaffiliated institutes/trades to appear for NCVT examination. This should not be done at all. In this connection, it may be stated that as a result of this irregularity committed by some State Directors, DGET

- a) had to change the procedure for issue of National Trade Certificates and such trainees will not be given NCVT certificates and;
- b) is facing a lot of Court Cases.

The State Directors are requested to communicate to the concerned institutes about the recommendations within a month from the date of issue of this letter under intimation to this Directorate General. Further, the SIR/DIRs in respect of the cases kept under consideration (UC) must be forwarded to this office within three months failing which the cases will be considered as closed. Thereafter, fresh SCIR will be required, even for such cases which have been kept under consideration due to minor deficiencies.

Yours faithfully,

  
( V. Sambasiva Rao ) 17/98  
Director of Training

copy alongwith enclosures for information:

1. The Director, CIMI, RDAT, Building Guindy, Chennai.
2. The Director, ATI Hyderabad - 500063 ( for Andhra Pradesh.)
3. The Director, CSTARI, Salt Lake City, Calcutta (for Bihar and Orissa )
4. The Director, RDAT Mumbai ( for Maharashtra, Gujarat)
5. The Regional Director, RDAT CGO Complex, Faridabad ( for Rajasthan and Haryana )
6. The Director, FTI Tumkur Road, Bangalore ( for Karnataka)
7. The Director, ATI Guindy Chennai - 32 (For Tamil Nadu and Kerala)
8. The Regional Director, RDAT Kanpur ( for UP & MP )
9. To all concerned ITIs/ITCs. The Principals of the institutes are advised to contact the concerned State Director in this regard.

  
(V.P. Joshi)

SCIR (Standing Committee Inspection Report), DIR (Departmental Inspection Report), UC (Under Consideration), NR (Not Recommended), NC (Not Considered), SIR (Supplementary Inspection Report), PS (Power Supply)

| S. No. | Name, Address & File No. of the Institute for reference and future correspondence  | Trade/Units for which Affiliation           |                   |   | REMARKS  |
|--------|--|---|-------------------|---|--|
|        |  | Sought by Institute                         |                   | Recommended by  |  |
|        |  | Standing Committee                          | DGE&T             | SCIR Dated.....   |  |
| 1      | 2  | 3   | 4                 | 5   | 6  |
| 6.     | Marymatha I.T.C.<br>Meerveli P.O., Kunnur<br>(Kerala)<br>Pin:- 670 701<br>No. DGET- 5/11/7/94-IC<br>( Pvt. )               | 1. <u>Electronics Mech.</u><br>Addl. One    | Addl. One<br>(but | ↓<br>SCIR- 20.8.97.<br>u.s.f. Aug, 97.<br>Total= 2 (1+1)  |  |
| 7.     | Marthana I.T.C.<br>Anchal Alayamon,<br>P.O.- Kollam<br>Distt:- 691 320<br>( Kerala )<br>No. DGET- 6/9/32/B1-IC<br>( Pvt. ) | 1. <u>Electrician</u><br>Two (1+1)          | Two (1+1)         | U.C. ⊗<br>⊗ Power supply to be augmented to 20KW<br>To be inspected as per revised syllabus.<br>To submit the reason for late submission. | SCIR- 5-9-96.  |
| ✓      | St. Joseph's I.T.C.<br>Thura Voor,<br>Cherthala- 688 532<br>( Kerala )<br>No. DGET- 6/9/43/B1-IC<br>( Pvt. )               | 1. <u>Electronics Mechanic</u><br>Two (1+1) | Two (1+1)         | Two Units (1+1)<br>Pme N.R. N.C.  | SCIR - 6-8-97.<br>u.s.f. Aug, 97.<br>S/D to issue affiliation orders before ensuring the shortages are made up/Instructor appointed. |

(M) Shree  
25/6/98