

IMMEDIATE  
SPEED POST  
REGD. POST

32

No. DGET: 12(2)/93-TC  
Government of India / Bharat Sarkar  
Ministry of Labour / Shram Mantralaya  
Directorate General of Employment and Training

New Delhi dated the 13th July, 1993.

The State Director/UT Administrator,  
(Dealing with Craftsmen Training Scheme)  
(as per list)

Subject:- Affiliation of ITI's/ITCs/Trades/Units on the basis of  
Standing Committee Inspection Reports received in the  
Directorate General of Employment and Training, New Delhi.

Sir,


The Standing Committee Inspection reports, forwarded by you were scrutinized at this Directorate. Some of the reports received earlier, were processed and affiliation orders issued/are being issued, after obtaining approval of the Sub-Committee of NCVT dealing with affiliation, by circulation.

The remaining reports were also processed and the recommendations of Directorate General of Employment and Training put up to the Members of the Sub-Committee of National Council for Vocational Training, dealing with affiliation at its meeting held on 9.7.1993, at the DGE&T Headquarters, New Delhi. The Members have approved the recommendations of DGET-A copy of the statement containing the names of ITIs/ITCs trades/units, remarks/conditions recommending affiliation etc. on the basis of the scrutiny of inspection reports, referred to above duly signed is enclosed. The trades/units as recommended by DGE&T under col.5 of the statement have been approved for affiliation by the Sub-Committee and therefore, are granted affiliation to N.C.V.T. This is for your kind information and necessary action. On this basis, you may please issue affiliation orders to the management of the respective ITI/ITC and ensure that the conditions of affiliation if any, are complied with.

Any kind of discrepancy/deficiency observed by you, may please be brought to the notice of this Directorate General.

Kindly acknowledge the receipt.

Yours faithfully,




( G.S. SETHI )  
Director of Training  
Secretary to N.C.V.T.  
Phone: 3711007.

Encl: as above.

Copy alongwith enclosures for information to:-

1. The Director, CIMI, ROAT Building, Guindy Madras-600032.
2. The Director, ATI Guindy, Madras-600032 (For Tamil Nadu, Kerala and Pondicherry).
3. The Director, FTI Tumkur Road, Bangalore-560 022 (For Karnataka).
4. The Regional Director, ROAT, Sion Trombay Road, Bombay. ( For Maharashtra, Gujarat, Goa, Dadra and Nagar Haveli)
5. The Director, CSTARI Salt Lake Area, Calcutta (For West Bengal, Assam, Tripura, Meghalaya, Manipur, Arunchal Pradesh, Mizoram, Nagaland, Orissa, Sikkim, Bihar).
6. The Regional Director, ROAT Udyog Nagar, Kanpur-208022. [U.P, MP]
7. The Regional Director, ROAT CGO Building, Faridabad, Haryana (For Rajasthan, Haryana ).
8. The Director, ATI Gill Road, Ludhiana-141003 for Punjab, Himachal Pradesh, J&K, Chandigerh).
9. DT, DGET Saram Sankati Bhawan, N Delhi (For Delhi)
10. Copy without enclosures for information to:-

The Principal of the concerned institute as per attached list with the advice to contact the State Director/Union Territory Administrator, dealing with Craftsmen Training Scheme.

  
( T.A. JOSEPH )  
Joint Director of Training  
for Director of Training/  
Secretary to N.C.V.T.

Name of the State :- KERALA

8.7.1993

Upto July 1993

1	2	3	4	5	6
			S.C	DGET	

1. INDIAN I.T.C. Draughtsman (ivil-1+1 units Two units Two units SCIR-12-12-91  
 PULLICHEN, KOTTARAKARA (one unit in each shift)  
 KOLLAM(DIST.)  
 KERALA STATE.

DGET-6(9)64/85-TC

- Subject to making up the following deficiencies
1. Instructors incharge of W/s cal & science & Engg.Org. are indicated.
  2. Action taken report on the observation of stg. committee is sent.
  3. Proof of ownership of Instt. Bldg is sent.
  4. Both addresses of the instt. i.e. old & new are furnished.

2. KRISHNA COMPUTERS Date Preparation &  
 25/1851, MANHATTAN Computer Software- One unit One unit One unit  
 THAMPANFOR.  
 THIRUVANANTHAPURAM  
 Pin-695001

SCIR -25.6.91 & SIR-P.37-43/c

- Subject to conditions as follows:-
1. Practical lab: area should be increased to 100M<sup>2</sup> as per norms.
  2. Deficient items of personal computers should be procured.
  3. Proof of ownership of Instt. bldg. duly approved is sent.

DGET-6(11)(54)/92-TC

3. BHARATH INSTITUTE OF 1. Electronic Mech- 2 units Two units  
 TECHNOLOGY & I.T.C., units  
 International Buildings, (Additional one : 1, each shift)  
 KUTTYIL Jn.  
 MANWAR...D.  
 ALA...UZHA-689622  
 KERALA STATE

SCIR 14.1.93

- Subject to the following conditions:-
1. Technically qualified person as per NCVT norms is posted as principal.
  2. Staff should be got trained in NPT under CIFs.
  3. The deficient items of Equipment should be procured within 3 months time.
  4. Total W's area of Electronic lab. works out to about 160sq. Metres. It should be clarified whether any partition is made in between to accommodate 2 batches in 2 shifts.

DGET-6(9)(128)/85-TC

5. Proof of ownership of Instt. bldg is sent.

*Handwritten signature:*  
 K. Jayaraman  
 15.7.93

218

HL

32

No.DGEP-3 (9/154)/86 TC  
Government of India  
Ministry of Labour  
Directorate General of Employment & Training

New Delhi, dated the 3<sup>rd</sup> July '86

To

The State Director  
(Dealing with C.T.S.)  
Kerala

Subject: Affiliation of ITIs/Trades/Units

Sir,

With reference to your letter No. C2/14041/86 dated 3.5.86 on the subject cited above, I am directed to inform you that after scrutiny of inspection report, the following trades/units marked 'x' of INDIAN ITC Pulamon Kottarakara

have not been recommended for permanent affiliation to NCVT on account of reasons given in column No. 5.

Sl. No.	Trades/Units for which permanent affiliation Sought by ITI.	Recommended by Standing Committee.	Recommended by D.G.E.T.	Reasons for not recommending permanent affiliation to the remaining trades/units.
1	2	3	4	5
1	D/Civil 2 units	2 units	2 units (one in each shift)	Separate Instructors for W/shop calculation. Sec may be provided

Letter No  
91781  
und  
ke  
12/7/86

Yours faithfully

*[Signature]*

for Director of Training