

No. DGET. 12/2/97-TC
Government of India
Ministry of Labour
DGET

New Delhi dated the 18th June, 1997

.op

To

The State Directors/UT Administrator,
(Dealing with Craftsman Training Scheme),
As per list enclosed.

Subject: Affiliataion of ITIs/ITCs/Units.

Sir,


The Standing Committee Inspection Reports (SCIRs) ,
Departmental Inspection Reports(DIRs) and Supplementary
Inspection Reports (DIRs) forwarded by you were scrutinised at
this Directorate General and recommendations of DGET were put up
before the members of the Sub Committee of NCVT dealing with
affiliation at its meeting held on 18.6.97 at DGET Headquarters,
New Delhi. The recommendations of the Sub Committee have been
brought in the minutes of the Meeting. A copy of the Statement
containing the names of ITIs/ITCs/Units/Trades with remarks
indicating the conditions for recommending affiliation etc. duly
signed is enclosed.

On the basis of that, you may issue the affiliation orders
to the Management of the concerned ITIs/ITCs/Units/Trades after
confirming :-

- i) Defects and deficiencies observed , you may issue under
'Remarks' column 6 are made good.
- ii) The conditions of affiliation , if any , are compiled
with.
- iii) It has been resolved in the meeting that the trainees
belonging to the trades/units kept under
consideration may be allowed to appear in the ensuing
All India Trade Test for Craftsmen. However, the SIRs
in respect of all such cases should be submitted within
three months and no admissions in August, 1997 should
be made till the cases are not cleared by DGET.

You are requested to quote file no. indicated below the
institute's name in the list enclosed as dated 18.6.97 in all
future correspondence relating to these ITIs/trades/units.

It may clearly be noted that wherever 'Not Recommended'
(NC) or 'Not Considered' (NC) has been mentioned, in column 5 of
the enclosure the concerned institute may be instructed not to
admit the trainees from the next session and the trainees if any,
undergoing training in such trades/units in such ITIs shall not
be permitted to appear in All India Trade Test by NCVT. It has
also been observed that some State Directors allow the trainees
of unaffiliated institutes to appear for NCVT examination. This




Medical Officer
Ayurveda Dispensary
21/13 Bhubaneswar
751 003

should not be done at all. In this connection, it may be stated that as a result of this irregularity committed by some State Directors, DGET has to change the procedure for issue of National Trade Certificates and as such trainees will not be given NCVT certificates.


The State Directors are requested to communicate to the concerned institute about the recommendations within a month from the date of issue of this letter under intimation to this Directorate General. Further, the SIR/DIR in respect of the cases kept under consideration (UC) must be forwarded to this office within three months failing which the case will be considered as closed and therefore, only fresh SCIR will be required, even for such cases which have been kept under consideration now due to minor deficiencies.

Yours faithfully,


(D. S. Degaur)
Director of Training

Copy alongwith enclosures for information:

1. The Director, CIMI, RDAT Building, Guindy Madras.
2. The Director, ATI Hyderabad -500063 (For Andhra Pradesh)
3. The Director, CSTARI Salt Lake City, Calcutta (For Bihar and Orissa)
4. The Director RDAT Bombay (for Maharashtra, Gujarat)
5. The Regional Director, RDAT, CGO Complex, Faridabad (For Rajasthan /Haryana)
6. The Director, FTI Tumkur Road, Bangalore (For Karnataka)
7. The Director, ATI Guindy, Madras-32 (for Tamil Nadu, Kerela)
8. The Regional Director, RDAT Kanpur (For Uttar Pradesh)
9. To all concerned ITIs/ITCs. The Principals of the Institutes are advised to contact the concerned State Director in this regard.


(V. P. Joshi)
Joint Director of Training

5. Johnsons Technical Instt.
I ITC, Krishnapuram,
Kayamkulam, Distt. - Kollam,
Kerala.

No. DGET. 6/11/19/94-IC (Rt)

Diesel Mech.
-(1+1) - (1+1)

-2(1+1)
w.e.f. Aug., 96

SCIR dated 2.9.96

6. Cosmopolitan ITC, Thendil
Puthen Bulich Marukkar,
Sosthamcotte P.O. Kollam,
Pin-690521. Kerala.

No. DGET. 6/11/6/96-IC (Rt)

Electronics Mech.

-Two units (1+1)
-Two units (1+1)
w.e.f. Aug., 96

SCIR dated 4.9.96

7. Pandavathu Sankarapillai
Memorial ITC, Thrikkunnapuzha
pin-690515. Distt. - Alapuzha.

No. DGET. 6/11/65/96-IC (Rt)

Stenography (English)
-Two units (1+1)
-Two units (1+1)
w.e.f. Aug., 96

SCIR dated 11.9.96

8. Fr. P.A. Samuel ITC,
Thannithodu, Konni,
Puthanarthitta-Distt.
Pin-689699, Kerala.

No. DGET. 6/11/66/96-IC

1. Stenography (English)
-Two units (1+1)
w.e.f. Aug., 96

SCIR dated 10.9.96

2. Fitter
-One unit -One unit
w.e.f. Aug., 96

9. Mata Amrithananda Mai
Mission Trust ITC,
Puthiyakavu, K.S. Puram
P.C Karunagapally, Kollam
Distt. - Pin-690540.

No. DGET. 6/9/2/76-IC (Vol. - II)

1. Electronics Mech.
-Three units (1+2)
w.e.f. Aug. 97

SCIR dated 4.9.96

2. Mech. Diesel
-Four units (2+2)
w.e.f. Aug. 97

3. Plumber
-Two units (1+1)
w.e.f. Aug. 97

SCIR dated 4.9.96

SCIR dated 4.9.96

No. DGET. 12/1/98-TC
Government of India
Ministry of Labour
DGET

New Delhi dated the 24th November, 1998

To

15
The Directors/UT Administrators,
(dealing with the Craftsman Training Scheme)
As per list enclosed.

Subject:- Affiliation of ITIs/ITCs/trades/units in the meeting of the Sub
Committee of NCVT dealing with affiliation held on 5th
November, 1998.

Sir,

The Standing Committee Inspection Reports (SCIRs),
Departmental Inspection Report (DIRs) and Supplementary Inspection
Reports (SIRs), forwarded by you were scrutinised at this Directorate
General and recommendations of the DGET were put up before the members
of the Sub Committee of NCVT dealing with affiliation in the meeting held on
5th November, 1998 at DGET Hqrs, New Delhi. The recommendations of the
Sub Committee have been brought in the minutes of the meeting. A copy of
the statement containing affiliation approval/status for the various ITIs/ITCs/
Trades/units in respect of your State with remarks indicating the conditions
for recommending affiliation etc. duly signed is enclosed.

On the basis of above statement, you may issue the affiliation orders
to the managements of the concerned ITIs/ITCs. However, in respect of
recommended cases wherever shortcomings have been pointed out in the
remarks column no. 6, it should be ensured that these have been made up and
affiliation order should be issued thereafter.

Also ensure that conditions of affiliation, are complied with.

In all future correspondence relating to these ITIs/ITCs/Trades/Units
you are requested to quote File No. indicated below the institute's name in
list enclosed.

It may clearly be noted that wherever " Not Recommended " (NR)
Not Considered (NC) has been mentioned, in column 5 of the enclosures
actions to be followed are as given below:


concerned institute may be instructed not to admit the trainees
and the trainees, if any undergoing training in such trades/units,
in ITIs/ITCs shall not be permitted to appear in All India Trade Test
(T) by NCVT.

It has been observed that some State Directors allow the trainees of
listed trades/units to appear for NCVT examination. This should not be done.

In both cases of NC (Not Considered) and NR (Not Recommended) trades/units, Fresh Standing Committee inspections are required.


The State Directors are also requested to intimate the institutes concerned about the recommendations within a month from the date of issue of this letter. Further, the SIR in respect of the cases kept Under Consideration (UC) must be forwarded to this office within three months. failing which the cases will be considered as closed and only fresh SCIR would be required to be submitted and no communication in such cases would be entertained.

Yours faithfully,


(V. Sambasiva Rao) 24/11/98
Director of Training

Copy alongwith enclosures for information:

1. The Director, CIMI, RDAT Building, Guindy Madras.
2. The Director, ATI, Hyderabad - 500063 (for Andhra Pradesh)
3. The Director, CSTARI, Salt Lake City, Calcutta (For Bihar, Orissa, Tripura and West Bengal)
4. The Regional Director, RDAT, Mumbai (For Maharashtra and Gujarat)
5. The Regional Director, RDAT, CGO Complex, Faridabad (For Haryana, J&K, Punjab and Rajasthan)
6. The Director, FTI, Tumkur Road, Bangalore (for Karnataka)
7. The Director, ATI, Guindy Madras- 32 (For Tamil Nadu, Kerala and Pondicherry)
8. The Regional Director, RDAT Kanpur - 208022 (For UP and MP)
9. To all concerned ITIs/ITCs. The Principals of the institutes are advised to contact the concerned State Directors in this regard.


(V.P. Joshi)
Joint Director of Training

State/UT: KERALA

Dated: 5-11-1998

SR (Standing Committee Inspection Report), DIR (Departmental Inspection Report), UC (Under Consideration), NR (Not Recommended), NC (Not Considered), SR (Supplementary Inspection Report), ES (Power Supply)

Sl. No. of the Institute for reference and future correspondence	Trade/Units for which Affiliation			REMARKS	
	Bought by Institute	Standing Committee	Recommended by	DGE&T	SCIR Dated.....
1	2	3	4	5	6
1. Panchappa N.S.S., Kavayaga ITC, Panchpara, Alappuzha, Pin-688004. (Kerala) <u>No. DGET-4/11/97-TC</u> (Pvt.)	1. <u>O/M (Civil)</u> Addl. one	1. <u>O/M (Civil)</u> Addl. one	1. <u>O/M (Civil)</u> Addl. one	1. <u>O/M (Civil)</u> Addl. one unit	<u>DIR dt. 11.12.97</u> w.s.f. Aug. 97 Total 2(1+1)
2. Fr. P.A. Samuel ITC, Thannithodu, Kottayam Pattanamthitta- 689699, Kerala. <u>No. DGET-6/11/98-TC</u> (Pvt.)	1. <u>Fitter</u> One unit	1. <u>Fitter</u> One unit	1. <u>Fitter</u> One unit	1. <u>Fitter</u> One unit	<u>DIR dt. 27.4.98</u> w.s.f. Aug. 98 Total 2(1+1)
3. Mar Pallaxone ITC, Pylipra PO, Pattanamthitta Dist. (Kerala) <u>No. DGET-4/9/93/93-TC</u> (Pvt.)	1. <u>Steno (Engg.)</u> Addl. One	1. <u>Steno (Engg.)</u> Addl. One	1. <u>Steno (Engg.)</u> Addl. One	1. <u>Steno (Engg.)</u> Addl. One One	<u>DIR dt. 25.10.97</u> w.s.f. Aug. 97 Total 2(1+1)
4. Mar Themothos Sapthathi Memo. ITC, Elanad, Trisour Pin: 680505 <u>No. DGET-4/11/98-TC</u> (Pvt.)	1. <u>Electrician</u> Two unit (1+1)	1. <u>Electrician</u> Two unit (1+1)	1. <u>Electrician</u> Two unit (1+1)	1. <u>Electrician</u> Two unit Two unit 2(1+1)	<u>SCIR-22.6.98</u> w.s.f. Aug. 1998/99 State Director to ensure the appoint- ment of 2nd Instructor before Aug. 1998
	2. <u>Setting & Tailoring</u> Two unit (1+1)	2. <u>Setting & Tailoring</u> Two unit (1+1)	2. <u>Setting & Tailoring</u> Two unit (1+1)	2. <u>Setting & Tailoring</u> Two unit 2(1+1)	<u>DIR dt. Aug. 1998</u>

Handwritten signature/initials