

257 82



19

PA 5/12/85

NO. DGET-6/9 / 32 / 85 - TC
Government of India
Ministry of Labour & Rehabilitation
Department of Labour
Directorate General of Employment & Training
.....

New Delhi, dated the 17th Nov. 1985

To

The Director,
Director of Industrial Training, Kerala
Thyland - Trivendrum

Sub:- Affiliation to the NCVT.

Sir,

With reference to your letter No. C2/10505/85/2
dated the 28/6/85 on the subject cited above, I am
directed to say that on the recommendations of the Standing
Committee and by the approval of Sub Committee of the NCVT,
dealing with the affiliation of training institutes,

Institute of Engineering and Technology Kanjirankulam
Kerala

has been granted permanent affiliation to the National Council
for Vocational Training for the following trades and units.

- 1. Craftsman (civil) ✓ 1 unit

Yours faithfully,

(C.P. SHARMA)

Assistant Director of Training
for Director of Trg &
Secy. NCVT.

- Copy for information forwarded
- 1. Principal ~~XXXXXX~~ / CMI Madras
 - 2. P.W.O. Madras (Region)
 - 3. T.S.
 - 4. Statistical Section (Trg.) DGET
 - 5. Guard File No. DGET-6/ / -TC

Handwritten notes: 176, C.P., 12/3

Indd: ar. C2/20309/85 2726386

(C.P. SHARMA)
Assistant Director of Training
for Director of Training and
Secy. NCVT.

Copy to the Principal
ETOTC Kanjirankulam for
information
y to C3 and C4F.

83

243 L

10
11
12
13
14
15
16
17
18
19
20

19

6(9)/85-TC

Registered

(2)

Government of India
Ministry of Labour
Directorate General of Employment & Training.

New Delhi, dt. the 3/1/86 1986

The Director of Employment & Training,
All State Directors/U.T. Administrators
(Dealing with Craftsmen Training Scheme)
Badhika, Thycaud, Trivandrum-650 014.
(*Attention of Shri B.K. Jaiswal*)

3/1/86

Affiliation of ITIs/ITCs in your State/U.T. to N.C.V.T.

Enclosed, please find the following annexures to this letter

Annexure-A: Trade/Unit wise list of ITIs/ITCs giving details of the trades/units for which affiliation to N.C.V.T. has been granted.

Annexure-B: Trade/Unit-wise list of ITIs/ITCs giving details of trades and units, trainees of which have been permitted to appear in the All India Trade Test held in 1985.

Recd
20/1/86
1/2 page

In addition to above, some inspection reports were scrutinised separately and were forwarded to the affiliation Sub-Committee members for their approval. Communications conveying affiliation/permission have been/are being issued separately in prescribed proforma. However a list of such ITIs/ITCs is enclosed as annexure-'C'.

In respect of some of the trades/units permission to trainees has not been given due to major deficiencies/discrepancies. The institutes/trades for which instructions have already been issued, may not be found covered in the above annexures.

The institutes/trades, started in 1982 or before, and have not been granted permanent affiliation so far, including those covered in annexures 'A', 'B' and 'C', stand de-recognised.

Any information given in the annexures mentioned above should be deemed to a repetition and not an additional one if any other information/instruction has already been issued or is covered in the above annexures for the same purpose.

6. Any discrepancy observed by you, after comparing the details of the above annexures, with your records may please be brought to the notice of this Directorate. The above annexures do not cover those institutes/trades for which inspection reports have been received after July, 1935. Such reports would be scrutinised in due course of time for considering affiliation.
7. In cases, where conditional affiliation has been granted, State Director is requested to confirm within 3 months that the condition imposed has been met with and the discrepancies have been removed. If confirmation is not received, affiliation granted is likely to be withdrawn.
8. Informations desired vide this Directorate letter No. D.T-5(192) 84-TG dated 18th May, 1935 is not already sent, may please be forwarded immediately as the same is required for the purpose of comparison with our records.

Yours faithfully,

E. C. Saksena

(E. C. Saksena)
Director of Training.

- 2 -
4 5

(95)

3

2

(3)
11

A.K.V.N.S. I.T.C.
Mundan Gavu, Chengannoor.
6(9)/54/85-TC

1- Hand Composition
& Proof Reading

1 unit 1 unit

NIL

(4)
10

Pioneer B.R.J. & I.T.C.,
Mullikkal Alleppey.
6(9)(44)/82-TC

1- D/man(Civil)

4 units

Two units
(one in each shift)

2 Units

1- 1-2 Semchen received.

6(9)(44)/82-TC

2- Fitter

Two units One

1 Unit

(5)
44

Sankara P.M. ITC
Mundencavu,
Chengannur.
6(9)(23)/85-TC

1- D/man(Civil)

4 units

2 units
(one in each shift)

2 Units

2. Electrician

-do-

-do-

2 Units

3. Plumber

2 units

1 unit

1 Unit

(6)

I.E.I.
Kanjirankulam
6(9)(33)/85-TC

1- D/man(Civil)

1 unit

1 unit

NIL

(7)

20

24625

Government of India

श्रम मंत्रालय

Ministry of Labour

श्रम विभाग (D.G.E. & T.)

(D.G.E. & T.)

नई दिल्ली-110001

NEW DELHI-110001

No. DGET-6(9)/86-TC

2791

227

dt. 5/9/86

19

The Director,
(Dealing with Craftsmen Training Scheme) Kerala
Physica - Trivendrum.

Subject:- Affiliation of ITIs/ITCs in various States/
UTs to NCVT.

Sir,

Please find enclosed herewith a list of ITIs/ITCs of your State/UT permanently affiliated to NCVT/continuing as on 30-08-86. Permanent affiliation has been granted after scrutiny of Standing Committee inspection reports forwarded by you and approval of affiliation sub-committee members during its meeting on 29-08-1986.

2. ITIs/Trades, which could not be considered for permanent affiliation due to shortage of infrastructural facilities as per norms have also been included in the above list.
3. ITIs/ITCs for which standing committee had not recommended for permanent affiliation have not been considered.
4. ITIs/Trades for which instructions have already been issued or report received late, may not be found covered in the above list.
5. Any information given in the list should be deemed to be a repetition and not an additional one if the same has already been issued.
6. Any discrepancy observed by you, after comparing the details of the above list with your records may please be brought to the notice of this Directorate.
7. In case, where conditional affiliation has been granted, State Director is requested to confirm within three months that the conditions imposed have been met with and discrepancies have been removed. If confirmation is not received within the stipulated period, affiliation granted is likely to be withdrawn.

Yours faithfully,

[Signature]

(Director of Training)

38

A

h

230

INDIAN I.T.C.
 Vilamou P.O.
 Kottarakara
 (6(9)(64)/85-TC)

1. D/m CIVIL 2

2 (one in each shift)
 2 (one in each shift)

Institute of
 Engeneering &
 Technology
 I.T.C. Melikkal-
 kkozhil Trivan-
 drum
 (6(9)(133)/85-TC)

1. D/M CIVIL 2

1 ✓

Jayamalha I.T.C.
 Malanchira
 Trivandrum-695015

1. Secre-
 tarial
 Practice
 Mech. R &
 TV 1

2. 1

1 ✓
 1 ✓
 1 ✓

Johnsons Technical
 Institute And I.T.C.
 Kallapully
 (6(9)(73)/85-TC)

1. Electrician 2

2
 2 (in two shifts) ✓

Julliee Memoral
 I.T.C. St. Athan-
 ys or phone
 585004
 (6(9)(56)/85-TC)

1. Filter 4
 2. Welder 2
 3. Letter
 press Mech. 1
 4. Minder
 H and cqp-
 ostion 1
 D/M CIVIL 2
 Plumber 1

3
 1
 NIL
 NIL
 NIL
 2 ✓
 1 ✓
 NIL
 NIL
 NIL

Krishna Mohan
 Memoral I.T.I.
 Kalretta, Manancode,
 K.O. Synad, 673122
 (6(9)(11)/86-TC)

1. D/M CIVIL 2
 2. Plumber 1

1
 1
 NIL
 NIL
 NIL

219

115

19

No.DGEM- 3(9) (3.)/85 TC
Government of India
Ministry of Labour
Directorate General of Employment & Training

New Delhi, dated the 3rd July '86.

To
The State Director
(Dealing with C.T.S.)
Kerala

Subject: Affiliation of ITIs/Trades/Units

Sir,

With reference to your letter No. C2/14041/86 dated 24.5.86 on the subject cited above, I am directed to inform you that after scrutiny of inspection report, the following trades/units marked 'x' of Institute of Engg. Tech. ITC Kanjiramkulam Trivandrum

have not been recommended for permanent affiliation to NCVT on account of reasons given in column No. 5.

Sl. No.	Trades/Units for which affiliation Sought by I.T.I.	Recommended by Standing Committee.	Recommended by D.G.E.T.	Reasons for not recommending permanent affiliation to the remaining trades/units.
1	2	3	4	5
1	D/Civil 2 units	1 unit	1 unit	Drafting machine horizontal and vertical may be provided.

Letter dt
9/7/86
received
by
12/7/86

Yours faithfully,

Handwritten signature

for Director of Training

52
19

NO. DGET.12/1/97-TC
Government of India
Ministry of Labour

(D.G.E.&T.)

New Delhi, dated the 29th Jan., 1997

To

(13)
The State Directors/U.T. Administrator,
(Dealing with Craftsmen Training Scheme),
As per list enclosed.

Subject:- AFFILIATION OF ITIs/ITCs/TRADES/UNITS.

.....

Sir,

The Standing Committee Inspection Report (SCIRs), Departmental Inspection Report (DIRs) and Supplementary Inspection Reports (SIRs) forwarded by you were scrutinised at this Directorate General and recommendations of the DGET were put up before the members of the Sub-Committee of NCVT dealing with affiliation at its meeting held on 29.1.97 at DGET Hqs., New Delhi. The recommendations of the Sub-Committee have been brought in the minutes of the meeting. A copy of the Statement containing the names of ITIs/ITCs/Units/Trades with remarks indicating the conditions for recommending affiliation etc. duly signed is enclosed.

On the basis of that, you may issue the affiliation orders to the Management of the concerned ITI/ITC after confirming:-


- i) defects and deficiencies observed under 'Remarks' column 6 are made good.
- ii) the conditions of affiliation, if any, you are complied with.

You are requested to Quote File No. indicated below the institute's name in the list enclosed as dated 29.1.97 in all future correspondence relating to these ITIs/Trades/Units.

It may clearly be noted that where ever Not Recommended (NR) or 'Not Considered' (NC) has been mentioned, in column 5 of the enclosure, the concerned institute may be instructed not to admit the trainees from the next session and the trainees if any under going training in such trades/units in such ITIs shall not be permitted to appear in All India Trade Test by NCVT. It has also been observed that some State Directors allow the trainees of un-affiliated institutes to appear for NCVT examination. This should not be done at all. In this connection, it may be stated that as a result of this irregularity committed by some State Directors, DGET has to change the procedure for issue of National Trade Certificate's and as such trainees will not be given NCVT Certificates.


The State Director are requested to intimate the institution concerned about the recommendation with in a month from the date of issue of this letter under intimation to this office. Further the SIR/DIR in respect of the cases kept under consideration (UC) must be forward to this office within three months

failing which the case will be considered as closed and only fresh SCIR will be required.


(D.S. DAGUR)
Director of Training.

Copy alongwith enclosure for information:-

1. The Director, CIMI, RDAI Building, Guindy Madras.
2. The Director, ATI, Hyderabad-500063.(For Andhra Pradesh).
3. The Director, CSTARI, Salt Lake City, Calcutta(For Bihar & Orissa).
4. The Director RDAI, Bombay(For Maharashtra, Gujarat).
5. The Regional Director, RDAI, CGO Complex, Faridabad (For Rajasthan/Haryana).
6. The Director, FTI Tumkur Road, Bangalore(For Karnataka).
7. The Director, ATI-Guindy Madras-32(For Tamil Nadu, Kerala).
8. The Regional Director, RDAI, Kanpur-208022(For Uttar Pradesh).
9. To all concerned ITIs/ITCs. The Principals of the Institutes are advised to contact the concerned State Director in this regards.


(V.P. JOSHI)
Joint Director of Training.

127

Name of the State: - Kerala

KERALA¹²

Position is on 29.1.97

1	2	3	4	5	6
(45.)	Don Bosco Tech. ITC, Vadutnala, Cochin-23 Distt.-Ernakulam (Kerala).	Mechanist -One unit (Addl.)	-	U.C.	SIIR-dated 9.5.96 to comply our letter dated 15.1.97
	No. DGET. 6/9/10/E5-TC (PVT.)				
(46.)	Social welfare Centre-IIC, Electrician Kalamassery, Distt.-Ernakulam Pin-683104 (Kerala).	-Four units-Four units (2+2)	-Four units-Four units (2+2)	w.e.f. Aug., 96	SIIR-dated 2.7.96 SIR to be submitted.
	No. DGET. 6/9/13/E5-TC (PVT.)				
(47.)	Kuriakose Chavara Memorial ITC, Koonammavu, Pin-683578. (Kerala).	1. D.T.P. (Operator) -Two units -Two units (1+1) (1+1)	-Two units-Two units (1+1)	w.e.f. Aug., 96	SIIR-dated 3.7.96 S/Dir. may issue affiliation order only after verifying that minor deficiencies pointed out are rectified and intimated to DGET.
	No. DGET. 6/9/15/85-TC (PVT.)				
(48.)	Balanaçar ITC, Mookkannur, Distt.- Ernakulam, Pin-683577.	Mech. (M.V.) -Two units-Two units (Addl.) (1+1)	-Two units-Two units (1+1)	Addl.	DIR-dated 13.12.96 SIIR-dated 15.12.92 Total 4(2+2) units
	No. DGET. 6/9/17/85-TC (PVT.)				
(49.)	Instt. of Eng. Technology, IIC, Nellikakushi, Kanjimkulam, Distt.-Trivandrum. Pin-695524. (Kerala).	-One unit-One unit Surveyor	-One unit-One unit	w.e.f. Aug., 96	SIIR-dated 19.6.96 SIR to be submitted after start of the session.
	No. DGET. 6/9/33/85-TC (PVT.)				

10/2/97



5910

NO. DGET-12/1/98-TC
GOVERNMENT OF INDIA
MINISTRY OF LABOUR

DIRECTORATE GENERAL OF EMPLOYMENT & TRAINING

NEW DELHI, DATED the 24th Feb. 1998.

To

The Directors / U. T. Administrator,
(Dealing with the Craftsmen Training Scheme).
As per list enclosed.

Kerala

SUBJECT:- AFFILIATION OF ITIs/ITCs/TRADE/UNITS IN THE
SUB-COMMITTEE MEETING OF NCVT HELD ON 24th FEB. 1998.

Sir,

The Standing Committee Inspection Reports (SCIRs), Departmental Inspection Reports (DIRs), and Supplementary Inspection Reports (SIRs) forwarded by you were scrutinised at this Directorate General and recommendations of the DGET were put up before the members of the Sub-Committee of NCVT dealing with affiliation at its meeting held on 24.2.98 at DGE&T Hqrs., New Delhi. The recommendations of the sub-committee have been brought in the minutes of the meeting. A copy of the statement containing affiliation approval/status for the various ITIs/ITCs/Trades/Units with remarks indicating the conditions for recommending affiliation etc, duly signed is enclosed.

On the basis of above statement, you may issue the affiliation orders to the management of the concerned ITI/ITC. However in respect of recommended cases where ever short coming have been pointed out in the remarks column no. 6, it should be ensured that these have been made up and affiliation order should be issued thereafter.

Also ensure that conditions of affiliation, are complied with.

In all future correspondence relating to these ITIs/Trades/Units You are requested to quote File No. indicated below the institute's name in the list enclosed as dated 24.2.98.

It may clearly be noted that where ever Not Recommended (NR) or Not Considered (NC) has been mentioned, in column 5 of the enclosure, instructions to be followed are as given below.

- a. The concerned institute may be instructed not to admit the trainees from the next session and the trainees, if any under going training in such trades/units, in such ITIs/ITCs shall not be permitted to appear in All India Trade Test (AITT) by NCVT.
- b. It has also been observed that some State Directors allow the trainees of un-affiliated Trades/Units to appear for NCVT examination, this should not be done. In this connection, it may be stated that as a result of this irregularity committed by some State Directors, DGET has to face a lot of Court Cases.

c. In both cases of NC (Not considered) and NR (Not Recommended) Trades/Units, fresh standing Committee inspection are required.

The State Directors are also requested to intimate the institutes concerned about the recommendation with in a month from the date of issue of this letter. Further the SIR in respect of the cases kept under consideration (UC) must be forwarded to this office within three months, failing which the cases will be considered as closed and only fresh SCIR would be required to be submitted and no communication in such cases would be entertained.

V.P. Joshi
2/3/98
(V. P. Joshi)
Joint Director of Training.

Copy alongwith enclosure for information:-

1. The Director, CIMI, RDAT Building, Guindy, Madras.
2. The Director, ATI, Hyderabad-500063. (For Andhra Pradesh)
3. The Director, OSTARI, Salt Lake City, Calcutta. (For Bihar, Orissa, Tripura and West Bengal)
4. The Director, RDAT Mumbai. (For Maharashtra and Gujarat)
5. The Regional Director, RDAT, CGO Complex, Faridabad. (for Haryana, J&K, Punjab and Rajasthan).
6. The Director, FTI Tumkur Road, Bangalore. (for Karnataka)
7. The Director, ATI-Guindy Madras-32. (for Tamil Nadu, Kerala, Pondicherry)
8. The Regional Director, RDAT Kanpur, 208022. (for UP and MP)
9. To all concerned ITIs/ITCs, The Principals of the institutes are advised to contact the concerned State Director in this regard.

M. C. Sharma
02/3/98
(M. C. SHARMA)
Deputy Director of Training

SCIR (Standing Committee Inspection Report), DIR (Departmental Inspection Report), UC (Under Consideration), NR (Not Recommended), NC (Not Considered), SIR (Supplementary Inspection Report), PS (Power Supply)

S. No.	Name, Address & File No. of the Institute for reference and future correspondence	Trade/Units for which Affiliation		Recommended by		REMARKS
		Sought by Institute	Standing Committee	DGE&T	SCIR Dated.....	
1	2	3	4	5	6	
5.	Mar Thoma I.T.C., Anchal Alayamon P.O., ^{Quilon} Distt. - Kollam-691320 (Kerala) No. DGET-6/9/32/81-TC (Pt) Vol.-II (Pvt.)	1. Plumber Addl. 1 unit in 2nd Shift	---	Addl. One unit in 2nd shift.	DIR, Dt. 15.4.97. Total - 2(1+1)unit. W.e.f. Aug., 97.	✓
6.	Bishop Benziger Memo. ITC, At/PO-Uchakkada, Distt.-Trivandrum. Pin-695506. (Kerala) No. DGET-6/11/55/96-TC (Pvt.)	1. Plumber Addl. 1 unit.	---	Addl. One unit in 2nd shift.	DIR Dt. 29-9-97. Total - 2(1+1)units. W.e.f. Aug., 1997.	✓
7.	Instt. of Engg. Tech., ITC - Nellikakushy, Kanjiramkulam, Distt.-Trivandrum. Pin - 695524. (Kerala) No. DGET-6/9/33/85-TC (Pt) (Pvt.)	1. Surveyer Addl. 1 unit in 2nd shift.	---	Addl. One unit in 2nd shift.	DIR Dt. 29-9-97. Total - 2(1+1) units. W.e.f. Aug., 1997.	✓
8.	Lissiew Nagar ITC, Pithencruz, Distt. - Ernakulam. Pin - 682308. (Kerala) No. DGET-6/11/4/92-TC (Pvt.)	1. Electronics Mech. 2(1+1) units	2(1+1) units	U.C.	SCIR Dt. 4.8.97 State Dir. to submit SIR as per New syllabus within three months.	

4/2/98