



5910

NO. DGET-12/1/98-TC
GOVERNMENT OF INDIA
MINISTRY OF LABOUR
DIRECTORATE GENERAL OF EMPLOYMENT & TRAINING

Speed Post

5

NEW DELHI, DATED the 24th Feb. 1998.

To

The Directors / U. T. Administrator,
(Dealing with the Craftsmen Training Scheme).
As per list enclosed.

Kerala

SUBJECT:- AFFILIATION OF ITIs/IITCs/TRADE/UNITS IN THE
SUB-COMMITTEE MEETING OF NCVT HELD ON 24th FEB. 1998.

Sir,

The Standing Committee Inspection Reports (SCIRs), Departmental Inspection Reports (DIRs), and Supplementary Inspection Reports (SIRs) forwarded by you were scrutinised at this Directorate General and recommendations of the DGET were put up before the members of the Sub-Committee of NCVT dealing with affiliation at its meeting held on 24.2.98 at DGE&T Hqrs., New Delhi. The recommendations of the sub-committee have been brought in the minutes of the meeting. A copy of the statement containing affiliation approval/status for the various ITIs/IITCs/Trades/Units with remarks indicating the conditions for recommending affiliation etc, duly signed is enclosed.

On the basis of above statement, you may issue the affiliation orders to the management of the concerned ITI/ITC. However in respect of recommended cases where ever short coming have been pointed out in the remarks column no. 6, it should be ensured that these have been made up and affiliation order should be issued thereafter.

Also ensure that conditions of affiliation, are complied with.

In all future correspondence relating to these ITIs/Trades/Units You are requested to quote File No. indicated below the institute's name in the list enclosed as dated 24.2.98.


It may clearly be noted that where ever Not Recommended (NR) or Not Considered (NC) has been mentioned, in column 5 of the enclosure, instructions to be followed are as given below.

- a. The concerned institute may be instructed not to admit the trainees from the next session and the trainees, if any under going training in such trades/units, in such ITIs/IITCs shall not be permitted to appear in All India Trade Test (AITT) by NCVT.
- b. It has also been observed that some State Directors allow the trainees of un-affiliated Trades/Units to appear for NCVT examination, this should not be done. In this connection, it may be stated that as a result of this irregularity committed by some State Directors, DGET has to face a lot of Court Cases.

C/16734/98

- c. In both cases of NC (Not considered) and NR (Not Recommended) Trades/Units, fresh standing Committee inspection are required.

The State Directors are also requested to intimate the institutes concerned about the recommendation with in a month from the date of issue of this letter. Further the SIR in respect of the cases kept under consideration (UC) must be forwarded to this office within three months, failing which the cases will be considered as closed and only fresh SCIR would be required to be submitted and no communication in such cases would be entertained.


(V. P. Joshi)
2/3/98
Joint Director of Training.

Copy alongwith enclosure for information:-

1. The Director, CIMI, RDAT Building, Guindy, Madras.
2. The Director, ATI, Hyderabad-500063. (For Andhra Pradesh)
3. The Director, CSTARI, Salt Lake City, Calcutta. (For Bihar, Orissa, Tripura and West Bengal)
4. The Director, RDAT Mumbai. (For Maharashtra and Gujarat)
5. The Regional Director, RDAT, CGO Complex, Faridabad. (for Haryana, J&K, Punjab and Rajasthan).
6. The Director, FTI Tumkur Road, Bangalore. (for Karnataka)
7. The Director, ATI-Guindy Madras-32. (for Tamil Nadu, Kerala, Pondicherry)
8. The Regional Director, RDAT Kanpur, 206022. (for UP and MP)
9. To all concerned ITIs/ITCs. The Principals of the institutes are advised to contact the concerned State Director in this regard.


(M. C. SHARMA)
02/3/98
Deputy Director of Training

203

-7-677

State/UT: Kerala.....

Dated 24-2-1998

===== SCIR (Standing Committee Inspection Report), DIR (Departmental Inspection Report), UC (Under Consideration), NR (Not Recommended), NC (Not Considered), SIR (Supplementary Inspection Report), PS (Power Supply) =====

| S. No. | Name, Address & File No. of the Institute for reference and future correspondence | Trade/Units for which Affiliation | | | REMARKS |
|--------|---|---|--------------------|----------------------|---|
| | | Sought by Institute | Standing Committee | Recommended by DGE&T | |
| 1 | 2 | 3 | 4 | 5 | 6 |
| 24 | Parakthil Krishnan Memorial I.T.C. Kottappuram, Sree Krishnapuram Palakkad-Distt.-679518 Kerala No. DGET-6/9/118/85-TC-Vol-II (Pvt.) | 1. Mech. Electronics two units (1+1) | two units (1+1) | U.C. | SCIR dt. 8-8-97 Slk to be submitted within 3 months after inspected as per revised syllabus. |
| | | 2. Mech. Diesel TWO UNITS (1+1) | two units (1+1) | two units (1+1) | w.e.f. Aug., 97/98. S/D to ensure appointment of Instructors Maths, Sci., & Engg. Drg. before issue of affiliation order. |
| 25 | Santhugiri I.T.C. Vazhithala P.O. Thodupugle-685583 Kerala, IDUKKI-Distt. No. DGET-6/11/1/96-TC (Pvt.) | D.I.P.O. two units (1+1) | two units (1+1) | two units (1+1) | SCIR dt. 4-8-97. w.e.f. Aug., 1997 S/D to issue affiliation orders after ensuring the appointment of Instructor under intimation to DGET |

M/S
ALZ

No. DGET.12(1)96-TC
Government of India
Ministry of Labour
D.G.E.T.

Registered

289L

5

369

New Delhi dated the 22nd February 96



KERALA

The State Directors /U.T.
(dealing with Craftsmen Training Scheme)

Apr
24/96

Subject: Affiliation of ITIs/ITCs/Trades/Units

The Standing Committee Inspection Reports (SCIRs),
Annual Inspection Reports (DIRs), and Supplementary
Inspection Reports (SIRs) forwarded by you were scrutinised
by the Directorate and recommendations of the DGET
put up before the members of the Sub-committee of NCVT
dealing with affiliation at its meeting held on 7.2.96 at
New Delhi. The recommendations of the Sub-committee
have been brought in the minutes of the meeting. A copy of
the statement containing the names of ITIs/ITCs/Units /Trades
with remarks indicating the conditions for recommending
affiliation etc. duly signed is enclosed.

On the basis of that, you may issue the affiliation
orders to the Management of the concerned ITI/ITC after
confirming : -

- i) defects and deficiencies observed under 'Remark'
column 6 are made good.
- ii) the conditions of affiliation if any, are

You are requested to enter the file no., and
below the institute's name in the list enclosed as dated
7.2.96 in all future correspondence relating to these ITIs.


It may strictly be noted that wherever 'Not
recommended' (NR) or 'Not Considered' (NC) has been
mentioned, in column 5 of the enclosure, the concerned
institute may be instructed not to admit the trainees from

contd.....

the next session and the trainees if any undergoing such trades/units in such ITIs shall not be permitted to appear in All India Trade Test to be held in July next. It has also been observed that some State Directors allow trainees of un-affiliated institutes to appear for WCVT examination. This should not be done at all. In this regard it may be stated that as a result of this irregularity by some State Directors, DGT has to change the procedure of issue of National Trade Certificate and as such, such trainees will not be given WCVT certificatee.

Kindly acknowledge the receipt of this letter.


Yours faithfully,



(V.P. Joshi)
Joint Director of Training
for Director of Training

Copy to :-

1. The Director, DIME, RDAT building, Madras
2. The Director, ATI-Gundray Madras- 600 032 (for Tamil Kerala)
3. The Director, FTI Tumbur Road, Bangalore- 560 022 Karnataka.
4. The Regional Director, RDAT Bombay-(For Maharashtra)
5. The Director, CSTARI, SALT Lake City, Calcutta (For West Bengal, Orissa, Bihar)
6. The Regional Director, RDAT Faridabad (For Rajasthan)
7. The Regional Director, RDAT Kanpur -202822(for UP)
8. Director, ATI Ludhiana (Punjab and Himachal Pradesh)
9. The Director, TI Vidya Nagar, Hyderabad- 500 063 (For Andhra Pradesh)
10. To all concerned ITIs.



Joint Director of Training
for Director of Training

35
403

Name of the State: KERALA

-17-

Position as on 7.2.1996

| No. | Name of the State | 1. | 2. | 3. | 4. | 5. | 6. |
|-----|---|--|------------------|------------------|----|----|----|
| 54 | Angamaly, I.T.C. Angamaly, Ernakulam Distt. Pin:633572. | 1. Electrician 2 Units (1+1) | 2 Units | 2 Units | | | |
| | No. DGET:6/3/20/81-TC | 2. Electronics Mech. 2 Units (1+1) | 2 Units (1+1) | | | | |
| | | | | | | | |
| 55 | Marbaselicus ITC Kullumpala, Mavelikara, Alleppey, Pin:690110. | 1. Cutting & Tailoring 1 Unit (w.e.f.1993 Session) | 1 Unit | 1 Unit | | | |
| | No. DGET:6/11/21/95-TC | | | | | | |
| | | | | | | | |
| 56 | Santhigiri I.T.C. Vazhithala, Idukki, Distt. No. DGET:6/11/1/96-TC | 1. Electronics Mechanic 2 Units (1+1) | 2 Units (1+1) | 2 Units (1+1) | | | |
| | | | | | | | |
| 57 | C.S.S. I.T.C. Eravipuram Kollam, KERALA No. DGET:5/11/7/96-TC | 1. Plumber 1 Unit | 1 Unit | 1 Unit | | | |
| | | 2. Electronics Mechanic 2 Units (1+1) | 2 Units (1+1) | 2 Units (1+1) | | | |

N.R. *[Signature]*
2 Units ~~001~~ *[Signature]*
Total 2 Units (1+1) *[Signature]*
w.e.f. Aug. 1995

SCIR: 24.5.1995

State Director Kanseru
that 20 KW power supply
is provided and then only
Final order to be issued.

SCIR: 26.5.1995

SCIR: 23.5.1995

SCIR: 14.3.95

calal Jmitt
[Signature]

New 95
[Signature]

New 96
[Signature]

9/16/95
[Signature]

N.R.

Shortage in tools & Equipments.