Speed. Post

No. DGET. 12/1/99- TC Government of India Ministry of Labour DGET

New Delhi dated the 4 November 1999

To

(27)

The State Directors /UT Administrators , dealing with Craftsman Training Scheme (as per the list enclosed)

Subject:- Affiliation of ITIs/ ITCs.

SIT.

The Standing Committee Inspection Reports ( SCIRs ) , Departmental Inspection Reports (DIRs ) and Supplementary Inspection Reports (SIRs ) forwarded by you were scrutinised at this Directorate General and recommendations of Directorate General of Employment and Training ( DGET) were put up before the members of the Sub Committee of National Council for Vocational Training ( NCVT ) dealing with affiliation in the meeting held on 4th November, 1999 at DGET Hors New Deihi. The recommendations of the Sub-Committee have been brought in the minutes of the Meeting. A copy of the Statement containing the names of ITIs /ITCs/Units/Trades in respect of your State , with remarks indicating the conditions for recommending affiliation etc. duty signed is enclosed on the basis of which , you may Issue the affiliation orders to the Managements of the concerned ITIs / ITCs / Units / Trades, Indicating:

Defects and deficiencies under "Remarks "column are to be made good

The conditions of affiliation, if any, are to be complied with.

Your special attention is drawn to the effective date mentioned against the Trades/ units kept "Under Consideration" (UC). The trainees admitted in the trades/ units kept "UC" may be allowed to appear in the All India Trade Test for Craftsman provided they have completed the Training period from the date the trade is kept "UC" i.e., the trainees were admitted from the date the trade is kept "UC" or later. However, the SIRs in respect of all such cases should be submitted within three months.

You are requested to quote DGET file No. indicated below the institute's name in the list enclosed as dated 4th November, 1999 in future correspondence relating to these ITIs / trades (units) it sets.

Regional Deputy Director
Higher Secondary Education
Regional Color Forhibode-03

Kozhikode Date....

contd....2

It may clearly be noted that wherever "Not Recommended " (NR) has been mentioned against trades / Units, the concerned institute may be instructed not to admit the trainees from the next session and the trainees, if any, undergoing training in such trades / units in such ITIs / ITCs shall not be permitted to appear in All India Trade Test by NCVT. It has also been observed that some State Directors allow the trainees of unaffiliated institutes/trades to appear for NCVT examination. This should not be done at all. In this connection, it may be stated that as a result of this irregularity committed by some State Directors, DGET is facing a lot of Court Cases.

The State Directors are requested to communicate to the concerned institutes about the recommendations within a month from the date of Issue of this letter under intimation to this Directrorate General. Further, the SIRs in respect of the cases kept under consideration (UC) must be forwarded to this office within three months falling which the cases will be considered as closed. Thereafter, fresh SCIR will be required, even for such cases which have been kept under consideration due to minor deficiencies.

Hindi Version will follows

Yours faithfully,

(V Sambastva Rao) 4/11/99

## Copy alongwith

- The Director , CIMI , RDAT Building , Guindy Chennai
- The Director, ATI Hyderabad 500063 (for the concerned States)
- The Director, CSTARI, Salt Lake City, Calcutta (-do-)
- The Regional Director, RDAT Mumbai
- The Regional Director, RDAT CGO Complex, Faridabad (-do-)
- The Director, FTI Turnkur Road, Bangalore (-do-).
- 7. The Director, ATI Guindy, Chennal 32 (-do)
  - The Regional Director, RDAT Kanour (-do-)
    - To all concerned ITIs / ITCs. The Principals of the Institutes are advised to contact the concerned State Director in this regard.

(V.P. Joshi)

Joint Director of Training

SCIE(Standing Committee Inspection Report), DIE(Departmental Inspection Report), UC(UnderConsideration), NE(Not Recommended), NC(Not Considered), SIE (Supplementary Inspection Report), PS ( Power Supply).

S.	Name, Address & File No. of Institute for reference and future correspondence.	Trades/Unit	s for which	1.02 80 1			
		Sought by	Recomm	anded by	REMARKS		
	1	-1 -2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	Standing Committee	D.G.E.T.	Carried Anna Carried		
100	Sullamissalam Orph ireacode (PO) 673 Malappuram-Distt. Karala. DGET-6/11/43/98-7	Two unit	Surveyer One Unit	One Unit	SCIR dt. 18.3.39  W.D.f. Aug., 99  DIR dt. 7.5.39		
		2.	braughtsma	N-0 2001 - 1332 S			
				Addl. One- 2(1+1)	-w.s.f. Aug., 99		
9	Marakkara Sastham Kollam Distt	ology -1035B., cotta, 2(1+1)	1. <u>COPA</u> 2(1+1)	2(1+1)->	SCIR dt. 17.3.39		
<b>(D)</b>	A ssumption ITC Kalacy, Ernakulas, -Dist. Pin-683 584 Kerala.	1. <u>El</u>	etronies N		SCIR dt. 16,8.99		
	New PH Swit.		,				
0	TROMIX ITC, Opp. Town Hall, Pala, Kottayam Dis Kerala 686 575.		lectronics	ZI Mach.	SCIR dt. 17.8.99 A/C		
/		4(2+2)	4(2+2)	4(2+2) ->	W.s.f. Aug., 99/200- State Director may		
	Head 2013	]	1.0KH	2	instructor to be		

Speed Post

Mo. DGE&T-12/1/2008-TC

Government of India

Ministry of Labour and Employment

Microscopic of Employment and Training

http://dget.gov.in

1 0 OCT 2006

New Delhi, dated 26th

September ,2008

To

The State Commissioner/Directors/UT Administrators

Employment & Training (As per the list enclosed)

REDALA.

Subject: Affiliation of Units/Trades of ITIs /ITCs with NCVT-regarding

Sir,

The Standing Committee Inspection Reports (SCIRs), Departmental Inspection Reports(DIRs) and Supplementary Inspection Reports (SIRs) forwarded to DGE&T, were put up before the Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation of ITI/ITCs in its meeting held on 26<sup>th</sup> September, 2008 at DGE&T Hqrs., New Delhi for its consideration and approval.

The Committee examined various affiliation cases and accorded approvals in deserving cases (conforming the NCVT norms). A copy of the statement, duly signed, containing the names of ITIs /ITCs/Trades/Units, in respect of States which have been approved/rejected, along with remarks if any is enclosed. The said information is also available for reference on internet <a href="http://doet.gov.in">http://doet.gov.in</a>; however hard copy duly signed would be treated as authenticated. It may please be noted that the cases which have been rejected require fresh Standing Committee inspection / Departmental inspection as the case may be. On the basis of this, affiliation order may please be issued to the management of concerned ITI/ITCs within a week.

Yours faithfully

(R.L.Singh) Director of Training

Copy along with enclosures for information to:

 The Regional Director of Apprenticeship Training, RDAT, Hyderabad, Kolkata Mumbal ,Faridabad, Chennel , Kanpur and The Director, Foremen Training Inatitute, Bangalore

2. To all concerned ITIs/ITCs.

findaco

(M.M.GERA)

Joint Director of Training

Directorate of Training, Thycaud, Thiruvananthapuram, Dated: 06/11/2008.

TE OF St. on C3/31510/08

KERALA STATE

Copy communicated for information and necessary action.

for DIRECTOR OF TRAINING

To Principals of the Cancerned Institu

## STATE: KERALA



## DATED:26/9/2008

Name, Address & File No. of Trade Institute for ref. & Future				Units for recomme	which affiliat nded by	Approval by	Remarks	
correspondence				Instt.	Std. Comm.	DGET	Sub- Committee of NCVT	
43	St. Mary's ITC, Manarcad, Distt. Kottayam Pin-686019 Kerala DGET-6/9/14/85-TC (pvt.)	Fashion Technology		2(1+1)	2(1+1)	Rejected*	Rejected*	SCIR-21/8/2008 *proof of power supply nor available.
44	Malabar ITC, Kuthuparamba, P.O Thalassery, Distt. Kannur Pin-670643 Kerala  DGET-6/11/47/96-TC	Front Assistar DMC	Office t	2(1+1)	2(1+1)	Rejected* Rejected*	Rejected*	SCIR-11/8/2008 w.e.f Aug 2008 *power supply proof noi submitted.
	(pvt.)				2			N-,
45	Tronix ITC, Opp. Town Hall, Distt. Kottayam Pin-686575 Kerala DGET-6/11/19/99-TC (pvt.)	Health Sanitary Inspector		2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-21/8/2008 w.e.f Aug 2008
46	Blue Tronix ITC, Polluruthy, Distt. Kochi Pin-682006	Health S Inspecto		2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-18/8/2008 Both trade w.e.f Aug 2008
	Kerala DGET-6/9/18/81-TC	Sanitary Hardwar Fitter		2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	. More care	Hardwar		(4.1.4)	2(1+1)	2(1+1)	2(1+1)	2

-13-

प्रिकारम्य कीरामाग्री हैं, दूर का वो शहर प्रकार कीरामाग्री हैं, दूर का वो शहर बो. एवं क के / DGEST क्षण एवं राजगार संचायर Ministry of Labout & Employment बहु दिस्की/New Delhi