## No. DGE&T-12/1/2009-TC

Government of India Ministry of Labour Employment Directorate General of Employment and Training



New Delhi, dated 30<sup>th</sup> July, 2009

To

The State Directorate/UT Administrators
Dealing with Craftsmen Training Scheme
(As per the list enclosed)

24340

Sub: - Affiliation of Units/Trades of ITIs/ITCs with NCVT regarding

Sir,

The Standing Committee Inspection Reports (SCIRs), Department Inspection Report (DIRs) are Supplementary Inspection Report (SIRs) forwarded to DGE&T, were put up before the members of the Sub-Committee of National Council for Vocational Training (NCVT) dealing with affiliation of ITIs/ITCs the meeting held on 30<sup>th</sup> July, 2009 at DGE&T Hqrs., New Delhi for its consideration are approval.

The Committee examined various affiliation cases and accorded approvals in deserving case (Conforming of the NCVT Norms) A copy of the statement, duly signed, containing the names ITIs/ITCs/Trades/Units, in respect of your State which have been approved/rejected, along with remar if any is enclosed. The said information is also available for reference on web site <a href="http://dget.govt.">http://dget.govt.</a> However; hard copy duly signed would be treated as authenticated. On the bases of this, affiliation ord may please be issued to the management of concerned ITIs/ITCs within a week.

It may please be noted, that the cases wherein clarification is sought, reply should real immediately to DGE&T (Hq) New Delhi so that they can be considered in next meeting.

Yours faithfu

(R.L Sing Director of Trainir

Member Secretary, NCI

Copy along with enclosure for information to:

- The Regional Director of Apprenticeship Training RDAT, Hyderabad Kolkata, Mumbi Faridabad, Chennai, Kanpur and The Director, Foremen Training Institute, Bangalor with a request to ask clarification from concerned officer for rejected cases and forward DGE&T (HQ)
- 2. To all concerned ITIs/ITCs

(M.M Ger

Endorsement on C3/17547/09 Directorate Joint Director of Trainin

Thycaud, Thiruvananthapuram, Dated: 22/10/2009.

Copy communicated for information and necessary action.

for DIRECTOR OF TRAINING,

To:-Principals of the concerned insurates

Connected APVE ID ID/Pressure) All The DVM DVVE TWO COLD COLD TO EVALUATE TELEPHONOGRAP ("A to



## STATE: KERALA

## DATED: 30/7/2009

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee): UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

ame, Address & File No. of stitute for ref. & Future			Units for which affiliation sought / recommended by			Approval by	Remarks
T	espondence draft		Instt.	Std. Comm.	19600076 -70	Sub- Committee of NCVT	
	Central Institute for Dental Technology ITC, Purakkatiry, Thalakulathur, Kozhikode- 673317 Kerala	Civil	Addl.2 units		Addl.2 units Total 6(2+2+2)	Addl.2 units Total 6(2+2+2)	DIR-2/5/09 w.e.f Aug 09
	I.E.M.T. ITC, Narikkuni- Distt. Kozhikkode Pin – 673585 Kerala DGET-6/11/31/96-TC	Draughtsman Civil	Addl.one unit 3 <sup>rd</sup> Shift		Rejected	Rejected	DIR-30/4/09 *Recommendation Sheet no 1&2 not signed by standing committee
1							members.
	Co-operative ITC, Kondotty, Eranadu, Distt- Malappuram Pin-673638 Kerala	Pre-Preparatory School Management Assistant Health Sanitary Inspector	Addl. one unit		Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1)	DIR-25/5/09 w.e.f Aug 09
	Govt. ITI, Attappady, Mattathukad P.O. Anakkatty, Distt.Palakkad- Pin- 678581	Mechanic Diesel Welder	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-23/5/09 w.e.f Aug 09
	Kerala		B B	- 2	is is	-	
	DGET-6/11/06/2009-TC (New/Pvt)				140 pt mi		Pi u
	Bright ITC, Changanasserry, Distt. Kottayam-686102	Architectural • Assistant	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-29/05/09 w.e.f Aug 09
	Kerala	Driver cum mechanic	2(1+1)	NR	NC -	NC	

उप निरा प्रशिक्ण हिमान प्रतिकार के Training म मंत्रा य । कि है होत Manager of Lab श्रम मंत्र। य

Ministry of Lab नई दिल्ली क्रिक्ट