

No. DGET. 12/2/87-TC  
Government of India  
Ministry of Labour  
DGET

. op

New Delhi dated the 10th June, 1987

To

The State Directors/UT Administrator,  
(Dealing with Craftsman Training Scheme),  
As per list enclosed.

Subject: Affiliataion of ITIs/ITCs/Units.

Sir,


The Standing Committee Inspection Reports ( SCIRs ) ,  
Departmental Inspection Reports( DIRs) and Supplementary  
Inspection Reports (DIRs) forwarded by you were scrutinised at  
this Directorate General and recommendations of DGET were put up  
before the members of the Sub Committee of NCVT dealing with  
affiliation at its meeting held on 18.6.87 at DGET Headquarters,  
New Delhi. The recommendations of the Sub Committee have been  
brought in the minutes of the Meeting. A copy of the Statement  
containing the names of ITIs/ITCs/Units/Trades with remarks  
indicating the conditions for recommending affiliation etc. duly  
signed is enclosed.

On the basis of that, you may issue the affiliation orders  
to the Management of the concerned ITIs/ITCs/Units/Trades after  
confirming :-

- i) Defects and deficiencies observed , you may issue under  
'Remarks' column 6 are made good.
- ii) The conditions of affiliation , if any , are compiled  
with.
- iii) It has been resolved in the meeting that the trainees  
belonging to the trades/units kept under  
consideration may be allowed to appear in the ensuing  
All India Trade Test for Craftsmen. However, the SIRS  
in respect of all such cases should be submitted within  
three months and no admissions in August, 1987 should  
be made till the cases are not cleared by DGET.

You are requested to quote file no. indicated below the  
institute's name in the list enclosed as dated 18.6.87 in all  
future correspondence relating to these ITIs/trades/units.

It may clearly be noted that wherever 'Not Recommended'  
(NC) or 'Not Considered' (NC) has been mentioned, in column 5 of  
the enclosure, the concerned institute may be instructed not to  
admit the trainees from the next session and the trainees if any,  
undergoing training in such trades/units in such ITIs shall not  
be permitted to appear in All India Trade Test by NCVT. It has  
also been observed that some State Directors allow the trainees  
of unaffiliated institutes to appear for NCVT examination. This




Medical Officer  
Approved Dispensary  
12/2/87

should not be done at all. In this connection, it may be stated that as a result of this irregularity committed by some State Directors, DGET has to change the procedure for issue of National Trade Certificates and as such trainees will not be given NCVT certificates.


The State Directors are requested to communicate to the concerned institute about the recommendations within a month from the date of issue of this letter under intimation to this Directorate General. Further, the SIR/DIR in respect of the cases kept under consideration (UC) must be forwarded to this office within three months failing which the case will be considered as closed and therefore, only fresh SCIR will be required, even for such cases which have been kept under consideration now due to minor deficiencies.

Yours faithfully,

  
( D. S. Dagaar )  
Director of Training

Copy alongwith enclosures for information:

1. The Director, CIMI, RDAT Building, Guindy Madras.
2. The Director, ATI Hyderabad -500063 (For Andhra Pradesh)
3. The Director, CSTARI Salt Lake City, Calcutta (For Bihar and Orissa)
4. The Director RDAT Bombay (for Maharashtra, Gujarat)
5. The Regional Director, RDAT, CGO Complex, Faridabad ( For Rajasthan /Haryana)
6. The Director, FTI Tumkur Road, Bangalore ( For Karnataka)
7. The Director, ATI Guindy, Madras-32 ( for Tamil Nadu, Kerala)
8. The Regional Director, RDAT Kanpur (For Uttar Pradesh)
9. To all concerned ITIs/ITCs. The Principals of the Institutes are advised to contact the concerned State Director in this regard.

  
(V. P. Joshi)  
Joint Director of Training

1	2	3	4	5
(19)	MES Kappungal ITC, Adeliyanattukkale, Vattamannapuram P.O., Via Mannarghat, Palakkad Distt. Kerala.	1. Electrician -One unit Addl.	-One unit Addl.	-One unit Addl. w.e.f. Aug. 96
	<u>No. DGET. 5/11/26/92-IC</u> (Pvt)	2. D'Man (Civil) -Two units (1+1)	-Two units (1+1)	-Two units (1+1) w.e.f. Aug. 96
(20)	Marthoma ITC, Anchal, Alavamon P.O., Kollam Distt., Pin-691320. Kerala.	Electrician -Two units (1+1)	-Two units (1+1)	-U.C.
	<u>No. DGET. 5/9/32/81-IC (Vol. -II)</u> (Pvt)			
(21)	Mar Philexenos Memorial Industrial Centre, Chengamanadu, P.O. Kottarakkara, Distt. Kollam, Pin-691557. Kerala.	Plumber -(1+1)	-(1+1)	-U.C.
	<u>No. DGET. 6/9/5/85-IC</u> (Pvt)			
(22)	Nanosoft Information Technology ITC, D.P.C.S. Karthikappally, Alappuzha-690516.	-Two units (1+1)	-Two units (1+1)	-Two units (1+1) w.e.f. 1996
	<u>No. DGET. 5/11/70/96-IC</u> (Pvt)			
(23)	St. Vincent ITC, Pala P.O. Kottayam-686575. (PVT.) Kerala.	-One unit in IInd shift	-One unit w.e.f. 96	-One unit w.e.f. 96
	<u>No. DGET. 6/11/71/96-IC</u> (Pvt)			

SCIR dated 3.2.96

Power supply to be augmented to 20 K.W. report with in two months.

SCIR dated 5.9.96

Complete lay out of work shop showing the space allotted for each trade affiliated and the trade/unit for which affiliation has been thought.

SCIR dated 2.2.96

SCIR dated 9.9.96

SIR to be submitted regarding standard of try. etc.

*(Handwritten signature)*

5

Immediate  
Recd. Post  
Recd. Post



No. DEET.6(Affiliation)/92-93  
Government of India  
Ministry of Labour

*20/5/92*  
*To all R.J. Centres*  
*Why can't you be given*  
*status of regular status*  
*16th July 1992*  
*not in public*  
*eg. you have pay*  
*R.J. Centres in*  
*we state and*  
*they can also be given*  
*form charges*  
*20/5/92*

The State Director/ UT Administrator,  
{ Dealing with Craftsmen Training Scheme  
(as per list) Kerala

Subject:- Affiliation of ITIs/ITC/trades/Units on the basis of Standing Committee Inspection Reports received in the Directorate General of Employment and Training, New Delhi.

Sir,

The Standing Committee inspection reports, forwarded by you were scrutinised at this Directorate. Some of the reports received earlier, were processed and affiliation orders issued/ are being issued, after obtaining approval of the sub-Committee of NCVT dealing with affiliation.

The remaining reports were also processed and the recommendations of Directorate General of Employment and Training put up to the Members of the Sub-committee of National Council for Vocational Training, dealing with affiliation at its meeting held on 9.7.1992, at the DEET Headquarters, New Delhi. The Members have approved the recommendations of DEET. A copy of the statement duly signed containing the names of ITIs/ITCs trades/units, remarks//conditions recommending affiliation etc. on the basis of the scrutiny of inspection reports, referred to above, is enclosed. The trades/units as recommended by DEET in col.5 of the statement have been approved for affiliation by the Sub-committee and therefore, are granted affiliation to N.C.V.T. This is for your kind information and necessary action. On this basis, you may please issue affiliation orders to the Management of respective concerned institutes.

Any kind of discrepancy/deficiency observed by you, may please brought to the notice of this Directorate.

Kindly acknowledge the receipt.

Yours faithfully,

(S.I. Siddiqui)  
Director of Training and  
Secretary to N.C.V.T.  
Phone: 3711205


Encl: as above.

*C2*  
*23/7/92*

Copy alongwith enclosures for information to:

1. The Director, CIMI, A.I. Campus, Guindy Madras-600032
2. The Director, ATI, Guindy Madras 600032 ( For Tamil Nadu, Kerala and Pondicherry )
3. The Director, FII Tukar Road, Bangalore-560 082 ( For Karnataka )
4. The Regional Director, RDAT , Sion Trombay Road, Bombay ( For Maharashtra, Gujarat, Goa, Dadra and Nagar Haveli )
5. The Director, CSTARS Salt Lake Area, Calcutta ( For West Bengal, Assam, Tripura, Meghalaya, Manipur, Arunchal Pradesh, Mizoram, Nagaland, Orissa, Sikkim, Bihar )
6. The Regional Director, RDAT Udyog Nagar, Kanpur-208022 ( For UP, MP )
7. The Regional Director, RDAT CO Building, Faridabad, Haryana ( For Rajasthan, Haryana )
8. The Director, ATI Gill Road, Ludhiana-141003 for Punjab, Himachal Pradesh, J&K, Chandigarh )
9. DT, DGET Shram Shakti Bhavan, New Delhi ( For Delhi )
10. Copy without enclosures for information to :-

The Principal of the concerned institute as per attached list with advice to contact the State Director/ Union Territory Administrator , dealing with Craftsmen Training Scheme

  
 ( Promod Chandra )  
 Joint Director of Training  
 for Director of Training/  
 Secretary to N.C.V.T.

New I.C. started during 1991. 57 NUS  
 11.3.92 27-11-92  
 Application inspection conducted during 1991-92  
 File no. 13.12.92  
 (for 4 travellers)  
 4.4.93  
 4.4.93  
 4.4.93



60. M. S. Kappungel  
 ITC Madathra Mahubara,  
 Vayalambamapuram P.O.,  
 Kottayam Dist.,  
 Pin: 670 631.  
 6/11/85/92-T3

61. B. E. S., IIT,  
 OFF: P.E.S. L.N. Seniors,  
 IT School, Old V. I. L. S.,  
 Memmisse-673 508.  
 6/11/83/92-T7.

62. Malayalam Welfare  
 Centre IIT, Padikalam,  
 Kootumugham-P.O.,  
 Erackandapuram-Via.,  
 Pin: 670 631.  
 6/11/85/92-T9.

63. Calicut Computer  
 Centre, IIT,  
 Palayam Junction,  
 Kallad Road, Kozhikode,  
 Kozhikode-2.  
 6/11/80/92-T5.

64. Amina Engg. Institute  
 ITC., Kalfakancherry,  
 Malappuram Dist.

1. Electrician 2 Units  
 2. Plumber 2 " 1 Unit  
 1 " One Unit  
 1 " One Unit

Directorio  
 Mechanic  
 " 2 Units  
 " 1 Unit  
 " 1 Unit

1. Medi-M. V.  
 Carpenter 3 " 2 Units  
 " 1 Unit

D-atepreparat on 2 Units  
 & Comp. So tware 2 " 1 Unit

Electronic  
 Mech. 1 Unit  
 1 Unit  
 NIL

(i) Instructors are trained in P.O.T. (ii) Shortages of tools, equipment and machinery are made good within 3 months. (iii) Fresh list of tools, equipment and machinery properly typed and duly signed by the members of the Staff Committee is sent to issue affiliation orders.

Subject to conditions that shortages of tools, equipment and machinery is made good within three months.

Maths/Drawing and Social Studies instructors are appointed immediately.

Instructors not having qualification as per NWT Norm. (ii) Separate instructors are posted for Workshop Calculations and clerical/Engg. Draw and Motor Driving. (iii) Prof of I.T. at s Building is sent.

(i) 24 items of vital trade equipment are found short. (ii) Practical not technically qualified



No. DGET-12(6)/94-TC.  
Government of India  
Ministry of Labour  
Directorate General of Employment & Training

5  
106  
REGISTERED  
288L

New Delhi, dated 14-3-1995.

288L

DGET-12(6)/94-TC  
14/3/95

To  
The State Director/UT Administrator,  
(dealing with Craftsmen Training Scheme)  
(as per the list enclosed).

Kerala

Subject: Affiliation of ITIs/ITCs/Trades/Units on the basis of Standing Committee Inspection Reports received in the Directorate General of Employment and Training, New Delhi.

Sir,

The Standing Committee Inspection Reports (SCIRs), forwarded by you were scrutinised at this Directorate and the recommendations of Directorate General of Employment & Training (DGET) were put upto the Members of the Sub-Committee of NCVT, dealing with affiliation at its meeting on 17.2.1995 at the DGET (Headquarters), New Delhi.

Received  
28/4/95  
25/4/95

Members have approved the recommendations of DGET - copy of the Statement containing the names of ITIs/ITCs/Trades/Units, remarks/conditions for recommending affiliation, etc. on the basis of the scrutiny of Inspection reports, referred to above, duly signed is enclosed. The trades/units as recommended by DGET under Column 5 of the Statement have been approved for affiliation by the Sub-Committee and, therefore, are granted affiliation to NCVT. This is for your kind information and necessary action.

2. On this basis, you may issue the affiliation orders to the Management of respective ITI/ITE only after ensuring that

- (i) the defects and deficiencies observed under "remarks" (column 6) are
- (ii) conditions of affiliation, if any, are
- (iii) Availability of ( ) Supply Reports in respect of the Institute.

3. Any kind of discrepancy/deficiency observed by you may please be brought to the notice of this Directorate General.

4. You are requested to quote the file no. indicated below the institute's name in the list enclosed, in all future correspondence relating to these ITIs.

5. Kindly acknowledge the receipt.

Encl.: as above.

Yours faithfully,

*D. S. Daga*  
(D.S. DAGAUR)  
Director & Training/Secretary NCVT  
716106

Name of the State Kerala

109

Position as on Jan., 95

No.	1.	2.	3.	4.	5.	6.
5.	MES ITC Kuttiyadi Naripalika Kazhikkada Kerala (Pvt.)	1. Electrician 1+1 Unit	One Unit	One Unit	One Unit	Supplementary Inspection Report not furnished Standing Committee recommendation is not in the prescribed proforma.
	2. Plumber No. of I.T: 5/11/26/92-TC Kollam Kadavullada Maveloor Palakkad	One Unit	One Unit (w.e.f. Aug. 94)	One Unit	One Unit	All the Standing Committee Members have not signed alongwith their full signature date and address on each and every page. Deficiency of tools and equipments.
	Madonna Institute of Electronics Engineering Anchalippa Kanjirapally Kollam 686507 (Pvt.)	D.P.C.S. One Unit	One Unit (w.e.f. Aug. 94)	One Unit	One Unit	Supplementary Inspection Report not furnished Standing Committee recommendation is not in the prescribed proforma. All the Standing Committee Members have not signed alongwith their full signature date and address. All the Standing Committee Members have not signed each and every page of the Standing Committee Inspection report including the list of Tools of Equipments. Proper workshop building plan not furnished. Proper site (location) plan not provided. Name of the Institute does not end with the word 'Industrial Training Centre'.
	No. DCET: 6/9/112/85-TC Vol. I					

Supplementary Inspection Report not furnished Standing Committee recommendation is not in the prescribed proforma.

All the Standing Committee Members have not signed alongwith their full signature date and address.

All the Standing Committee Members have not signed each and every page of the Standing Committee Inspection report including the list of Tools of Equipments.

Proper workshop building plan not furnished. Proper site (location) plan not provided. Name of the Institute does not end with the word 'Industrial Training Centre'.

Cash

11

Kanjirapally