

INDUSTRIAL TRAINING DEPARTMENT
(KERALA STATE)
Govt ITI Attingal, Attingal (PO)
Thiruvananthapuram - 695101, Phone: 0471 2622391

No:ITI-ATL/419/2024-A7

Dated12-11-2025

RE-TENDER NOTICE

Sealed Competitive Tenders are invited from approved firms /companies /traders for the Procurement of Measuring Instruments for Electrician trade at Industrial training institute, in Attingal ,Tvp. Details are given below.

Sl No	Tender N o and Items	Last Date and time of sale of tender	Last date and time of receipt of sealed Tender	Date and time of opening of sealed Tender	Cost of Form (including 18% GST)		Earnest Money Deposit
					Original	Duplicate	
1	2	3	4	5	6		7
1	ITI/ATL/419/24-A7	28/11/2025 at 4 pm	29/11/2025 at 3 PM	29/11/2025 at 4 P M	472	236	

The cost of the Tender Forms will be accepted only by Cash or Money Order. The Tender should be superscribed with Tender number and date addressed to **The Principal, Govt. ITI Attingal, Attingal P O, Tvp-695101**. Late Tenders will not be accepted. The above mentioned amount should be enclosed as Earnest Money Deposit. **There must be a Validity period of three months from the date of opening the Tenders.** Otherwise the tenders will be summarily rejected. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth Rs.200/- (Rupees Two Hundred only), Otherwise the Tender will not be considered. The Stamp Paper will be forwarded to the firms outside Kerala if required by remitting Rs.225/- (Rupees Two hundred and Twenty Five only) separate by money order (Rs 25/- is intended to cover postage and incidental expenses). Detailed specification of items required can be obtained from the office of the under signed during office hours. The details are available in the website **www.itiattingal.kerala.gov.in**.

Signed by Sivaraj K

Date: 12-11-2025 15:11:23

PRINCIPAL

ഗവ.ഐ.ടി.ഐ.ആറ്റിങ്ങൽ

ആറ്റിങ്ങൽ പി.ഒ, തിരുവനന്തപുരം - 695101

ഫോൺ : 0470-2622391, email: attingaliti@gmail.com

നമ്പർ : ITI-ATL/419/2024-A7

തീയതി : 12-11-2025

പുന:ദർഘാസ് പരസ്യം

വ്യാവസായിക പരിശീലന വകുപ്പിന്റെ കീഴിലുള്ള ആറ്റിങ്ങൽ ഗവ. ഐ.ടി.ഐ യിലെ ഇലക്ട്രീഷ്യൻ ട്രേഡിലേക്ക് **Measuring Instruments** സംഭരിക്കുന്നതിന് താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മൂറു വച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ക്രമ നം	ദർഘാസ് നമ്പർ ഇനം	ദർഘാസ് വിൽക്കുന്ന തിനുള്ള അവസാന തീയതി	ദർഘാസ് സ്വീകരിക്കുന്നതിനുള്ള അവസാന തീയതി	ദർഘാസ് തുറക്കുന്ന തീയതി	ദർഘാസിന്റെ 18% വില(GST) ഉൾപ്പെടെ		നിരത ദ്രവ്യം
					Original	Duplicate	
1	2	3	4	5	6		7
1	ITI/ATL/419/2024-A7	28/11/2025 at 3 pm	29/11/2025 at 3PM	29/11/2025 at 4 pm	472	236	

ദർഘാസിന്റെ വില പണമായിട്ടോ മണിയോർഡർ ആയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തി മൂറു വച്ച കവറുകൾ **പ്രിൻസിപ്പാൾ, വ്യാവസായിക പരിശീലന കേന്ദ്രം, ആറ്റിങ്ങൽ പി ഒ, തിരുവനന്തപുരം - 695101** എന്ന വിലാസത്തിലേക്ക് അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം മേൽ പറഞ്ഞ തുക നിരത ദ്രവ്യം ആയും 200 രൂപ (ഇരുന്നൂറ് രൂപ മാത്രം) വിലയുള്ള കേരള സർക്കാർ മൂറു പത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്. **ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ മൂന്ന് മാസം വരെ വില നിരക്ക് പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കണം.** അല്ലാത്ത ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. കേരളത്തിന് പുറത്തുള്ള കമ്പനികൾക്ക് മൂറുപത്രം ആവശ്യമുണ്ടെങ്കിൽ 225 രൂപ മണിയോർഡർ ആയി അയച്ചു തന്നാൽ ഈ ഓഫീസിൽ നിന്നും മൂറുപത്രം വാങ്ങി അയച്ചു തരുന്നതാണ്. (മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ) . ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. വിശദ വിവരങ്ങൾക്ക് www.itiattingal.kerala.gov.in എന്ന വെബ് സൈറ്റിൽ ലഭ്യമാണ്.

Signed by Sivaraj K

Date: 12-11-2025 15:10:29

പ്രിൻസിപ്പാൾ

Details of Measuring Instruments Required as per Tender No. ITI/ATL/419/2024-A7 Dated : 10-10-2025			
Sl No	Name of Equipment	Detailed Specification	Quantity Required
1	Rheostat (Sliding type)	Rheostat 0 - 25 Ohm, 2 Amp (Sliding, Single, Tube Type)	1 No
2	Rheostat (Sliding type)	Rheostat 0 - 300 Ohm, 2 Amp (Sliding, Single, Tube Type)	1 No
3	Rheostat (Sliding type)	Rheostat 0 -1 Ohm, 10Amp (Sliding, Single, Tube Type)	1 No
4	Rheostat (Sliding type)	Rheostat 0 -10 Ohm, 5 Amp (Sliding, Single, Tube Type)	1 No
5	Digital Multi Meter	LCD Digital Multi meter with leads DC 200mv - 1000v, 0 – 10A fused & AC 200mv- 750v , 0- 10A resistance 0-20 MΩ with diode test, continuity check and 3 1/2 digit	6 Nos.
6	A.C. Voltmeter M.I. analog portable box type housed in Bakelite case	A.C. Voltmeter Multi range 75 V - 150V - 300V - 600V analog portable box surface type housed in Bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length(big size) accuracy 0.5	3 Nos.
7	Milli Voltmeter centre zero analog, portable box type housed in Bakelite case	Milli Voltmeter DC centre zero 100 – 0 – 100 mV analog portable box surface type housed in Bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length(big size)	2 Nos.
8	Ammeter MC analog, portable box type housed in Bakelite case	Ammeter MC 0 - 500 m A analog portable box surface type housed in Bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length(big size) accuracy 0.5	1 Nos.
9	Ammeter MC analog, portable box type housed in Bakelite case	Ammeter MC 0-5 A A analog portable box surface type housed in Bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length (big size)	2 Nos.
10	Ammeter MC analog, portable box type housed in Bakelite case	Ammeter MC 0-25 A A analog portable box surface type housed in Bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length (big size)	1 Nos.

		accuracy 0.5	
11	AC Ammeter MI, analog, portable box type housed in Bakelite case	AC Ammeter MI 0-1 A Analog portable box surface type housed in Bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length (big size)	2 Nos.
12	AC Ammeter MI, analog, portable box type housed in Bakelite case	AC Ammeter 0-5 A Analog portable box surface type housed in Bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length (big size)	1 Nos.
13	Kilo Wattmeter Analog	Kilo Wattmeter Analog 0-1.5- 3KW, single element pressure coil rating - 250v and 500v, current rating- 10A Analoge, portable surface type Housed in Bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length (big size). Electrodynamic meter type	2 Nos.
14	Digital Wattmeter	Digital Wattmeter 230 V, 1 KW, 50 Hz	2 Nos.
15	A.C. Energy Meter	A.C. Energy Meter Three Phase, 15 A , 440 V induction type	2 Nos.
16	Power Factor Meter Digital	Power Factor Meter Digital 440 V, 20 A, Three Phase portable box type suitable to measure PF zero to unity lag and lead	2 Nos.
17	Lux meter	lux meter LCD read out 0.05 to 7000 lumens with battery.	1 Nos.
18	Tachometer	Digital Photo Sensor Type - 10000 RPM	1 No.
19	Tong Tester / Clamp Meter	Tong Tester / Clamp Meter 0 - 100 A multi function for ACA, ACV, DCA < OIIMS etc LCD display. Dimention HWD 230x70x30mm	2 Nos.
20	Megger	Megger - 500 V Analog type measure insulataion resistance upto 100 M Ω hand driven type battery operated type complete with wearing carry case	1 Nos.
All items required in good quality in accordance with ISI Standard			

Signed by Sivaraj K
Date: 10-10-2025 21:53:40
Principal