

വ്യാവസായിക പരിശീലന വകുപ്പ്
 ഗവണ്മെന്റ് ഇൻഡസ്ട്രിയൽ ട്രെയിനിംഗ് ഇൻസ്റ്റിറ്റ്യൂട്ട്, ധനുവച്ചപുരം
 (ഐ എസ് ഒ 9001:2015 സർട്ടിഫൈഡ് സ്ഥാപനം)
 ധനുവച്ചപുരം പി. ഒ തിരുവനന്തപുരം 695 503
 ഫോൺ 0471 2232282 ഇമെയിൽ : govtitidvpm@gmail.com

നമ്പർ:ITI/DVPM/39/2024-B2

തീയതി : 09-12-2024

പുനർ ദർഘാസ് പരസ്യം

വ്യാവസായിക പരിശീലന വകുപ്പിലെ ധനുവച്ചപുരം ഗവ : ഐ ടി ഐ യിലെ വയർമാൻ ട്രേഡിലേക്ക് ലൈറ്റ് മെഷീൻ ആൻഡ് എക്സിപ്മെന്റ്സ് സംഭരിക്കുന്നതിന് താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്ര വച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പർ ഇനം	ദർഘാസ് വില്പന തീയതി	ദർഘാസ് സ്വീകരിക്കുന്നതിനുള്ള അവസാന തീയതി	ദർഘാസ് തുറക്കുന്നതിനുള്ള അവസാന തീയതി	ദർഘാസ് വില		നിരത റേറ്റ്
					Original	Duplicate	
1	2	3	4	5	6	7	8
1	09/2024	27/12 /2024 at 3 PM	13/01 /2025 at 4 PM	14/01 /2025 at 11 AM	₹400+ 18% GST	₹200+ 18% GST	₹1534/-

ദർഘാസ് വില പണമായിട്ടോ മണിയോർഡർ ആയോ മാത്രമേ

സ്വീകരിക്കുകയുള്ളൂ.ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, വ്യാവസായിക പരിശീലന കേന്ദ്രം,ധനുവച്ചപുരം, തിരുവനന്തപുരം- 695503 എന്ന വിലാസത്തിലേക്ക് അയക്കേണ്ടതാണ്. താമസിച്ചു ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം മേൽ പറഞ്ഞ തുക നിരത ദ്രവ്യമായും ₹200/- (ഇരുനൂറ് രൂപ മാത്രം) വിലയുള്ള കേരളം സർക്കാർ മുദ്ര പത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ മൂന്ന് മാസം വരെ വില നിരക്ക് പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കണം. അല്ലാത്ത ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. കേരളത്തിന് പുറത്തുള്ള കമ്പനികൾക്ക് മുദ്രപത്രം ആവശ്യമുണ്ടെങ്കിൽ ₹ 230 /- മണിയോർഡർ ആയി അയച്ചുതന്നാൽ ഈ ഓഫീസിൽ നിന്നും മുദ്രപത്രം വാങ്ങി അയച്ചുതരുന്നതാണ്(മണി ഓർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ). ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. വിശദവിവരങ്ങൾ www.det.kerala.gov.in. എന്ന വെബ്സൈറ്റിൽ ലഭ്യമാണ്.



പ്രിൻസിപ്പാൾ

Signed by Sherin Joseph
Date: 09-12-2024 15:45:08

INDUSTRIAL TRAINING DEPARTMENT

GOVERNMENT INDUSTRIAL TRAINING INSTITUTE

DHANUVACHAPURAM

(AN ISO 9001 : 2015 CERTIFIED INSTITUTE)

Dhanuvachapuram P.O., Thiruvananthapuram 695 503

Phone 0471 2232282

Email. govtidvpm@gmail.com

No: ITI/DVPM/39/2024-B2

Dated: 09-12-2024

RE-TENDER NOTICE

Sealed competitive tenders are invited from approved firms /companies /traders for the Procurement of Light Machines and Equipments at Industrial Training Institute, Dhanuvachapuram, Tvp. Details are given below.

Sl No	Tender No and Items	Last Date and time of sale of tender	Last date and time of receipt of sealed Tender	Date and time of opening of sealed tender	Cost of Form		Earnest money Deposit
					Original	Duplicate	
1	2	3	4	5	6	7	8
1	09/2024 Light Machines and	27/12/2024 at 3 Pm	13/01/20245 at 4 Pm	14/01/2025 at 11 AM	₹400 + 18% GST	₹200 + 18% GST	₹1,534/-

Equipments						
------------	--	--	--	--	--	--

The cost of the Tender Forms will be accepted only by Cash or Money Order . The Tender should be super scribed with Tender number and date addressed to **The Principal , Govt. ITI Dhanuvachapuram , Thiruvananthapuram**. Late Tenders will not be accepted. The above mentioned amount should be enclosed as Earnest Money Deposit. **There must be a Validity period of three months from the date of opening the Tenders**. Otherwise the tenders will be summarily rejected. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth Rs. 200/- (Rupees Two Hundred only). Otherwise the tender will not be considered. The stamp paper will be forwarded to the firms outside Kerala if required by remitting Rs.230/- (Rupees Two Hundred and thirty only) separate by money order (Rs 30/- is intended to cover postage and incidental expenses) .Detailed specification of items required can be obtained from the office of the undersigned during office hours. The details are available in the website **www.det.kerala.gov.in**.



PRINCIPAL

Signed by Sherin Joseph
Date: 09-12-2024 15:44:13

File No: ITI/DVPM/39/2024-B2

Dated: 09-12-2024

RE TENDER NO: ITI/DVPM/09/2024

LIST OF ITEM

SI No	ITEM SPECIFICATION	QUANTITY
1	<p>Solar Panels 250Wp</p> <p>Application class as per Cl.3 of IS/IEC61730-1 : 2004</p> <p>CLASS A PV Module rating (in Wp): 250</p> <p>Efficiency of PV Module : > 14%</p> <p>BIS CRS as per IS:IS 14286(for Crystalline Silicone Terrestrial Photovoltaic (PV) modules) Corrosion resistant frame structure shall be provided to hold the SPV module: Yes</p> <p>PV Module Construction, Testing and Safety requirements as per IEC 61730(Part 1) and (Part 2) latest PV Modules shall comply Salt Mist Corrosion testing as per IEC- 61701/IS:61701 latest</p>	1 No
2	<p>Solar Panels 15Wp</p> <p>Application class as per Cl.3 of IS/IEC61730-1:2004</p> <p>CLASS A PV Module rating (in Wp): 15</p> <p>Efficiency of PV Module : > 14%</p> <p>BIS CRS as per IS:IS 14286 (for Crystalline Silicone Terrestrial Photovoltaic (PV) modules)</p> <p>Corrosion resistant frame structure shall be provided to hold the SPV module: Yes</p> <p>PV Modules Construction, Testing and Safety requirements as per IEC</p>	1 No

	61730(Part 1) and (Part 2) latest PV Modules shall comply Salt Mist Corrosion testing as per IEC-61701/IS:61701 latest	
3	<p>Solar Charge Controller With Manual Switch (DAY Lighting)</p> <p>MPPT Solar Charge Controller 12V 10A Manual Switching</p> <p>Maximum Current = 10Amps</p> <p>Maximum VOC of the to be connected=22Volts</p> <p>Panel Maximum power =200 Wp , Type : MMPT Standard</p> <p>Application : Home Lighting System\, DC</p> <p>Application of Lead acid /SMF Battery Voltage of 12V./ Lithium Ion 11.1Volts / Lithium Ferro Phosphate 12.8 Volts</p>	2 Nos
	Transformer Single Phase	
4	Transformer Single Phase , 1KVA,250/100 V, closed type, Copper wound , ISI & BIS marked	2 Nos
5	<p>Immersion Heater</p> <p>Type : Immersion Heater</p> <p>Insulation Material: High Pure MgO</p> <p>Material of tube: shealth SS201 , Shape: U Shape</p> <p>Working Temperature (max): 350 Degree Celsius</p> <p>Voltage: 240 Volt Power: 1.5kilo Watt</p>	2 Nos

	<p>Features: Excellent Thermal conductivity, Corrosion resistant. Less power Certification CE. ROHS</p>	
6	<p>Table fan Type of Fan mounting: Table Fan power: 68Watt Fan size: 400 millimeter Ingress Protection for Motors and Regulators: IP22 Conformity to Indian Standard IS:555 latest Rated Voltage:220V AC Speed Control Mechanism Rotary Switch RPM at Maximum Speed: 2400 , Number of Blades : 3 Angular Movement: 65 degree Length of cord with suitable Plug top (inclusive in the scope of supply): 1.5 meter Material of Blade : ABS</p>	2 Nos
	<p>Mixture and Grinder Voltage and Frequency :240 V AC,50Hz Motor: 750 Watt motor No Load Speed: 22000 rpm approx.</p>	
7	<p>Class of motor insulation winding wire : F class Rating: 30 minutes rating 5 min ON and 2 min OFF (Maximum 6 ON Cycles) Material of body: ABS Material of jars: Stainless steel , Blade Assembly: Stainless steel Speed Control:3 speeds with pulse Main cord PVC flexible: 2-core cord</p>	2 Nos

<p>8</p>	<p>DMX Controller</p> <p>DMX Controller DMX512</p> <p>Input voltage : AC200-240,50-60 Hz</p> <p>Total Channel number: 192 groups</p> <p>Max Controlled Channels:16 CHs</p> <p>Mas Procedure steps:40 steps</p> <p>Scene pause time: 1-25.5 seconds/ steps</p> <p>Scene Graduation speed: 0.1-25.5 second</p> <p>Display Monitor : LED</p> <p>DMX512 output interface 3 core XLR needle</p>	<p>2 Nos</p>
<p>9</p>	<p>Rewinding Machine</p> <p>Stator Length: 190 mm max</p> <p>Voltage:240 V</p> <p>Stator Width: 9 to 45 mm (can be adjusted)</p> <p>Winding Motor Power: 1/8 Hp230 V AC,50 Hz</p> <p>Winding speed: 1440 Rpm</p> <p>Counter Type : 4 Digit Automatic Magnetic Break Facility</p>	<p>2 Nos</p>
	<p>Wire Size Range:27swg to 38 swg 230V , 50Hz</p> <p>Brake: Automatic magnetic Break</p> <p>Counter Meter: 4 Digit</p> <p>Automatic Magnetic Break Facility</p>	



Principal

Signed by Sherin Joseph
Date: 09-12-2024 15:31:22