

INDUSTRIAL TRAINING DEPARTMENT
TENDER NOTICE

No:ITI/CKDY/1091/2025-B1

Dt: 22-12-2025

Sealed tenders are invited for supplying the following items for Govt.ITI Chalakudy, Railway Station Road, Chalakudy.P.O, Thrissur, Pin-680307.The Items should be supplied at the store.

Sl No	Name of items and specifications	Quantity
1	<u>Steel rule 300 m</u> Nominal Size (cm): 30 Type of Steel Scale (Graduation on both edges): BB Certification Steel Scale confirming to IS: 1481 Material :spring Steel	39
2	<u>Screw Driver 200 m</u> Length of Blade in mm :200 Insulation on Blade, Length of Handle in mm: 100 ,Tip Size (a x b) in mm x mm: 1.2 x 8.0 Shape of Blade: Round, high grade silicon manganese steel, magnitised tip, Conformity to Standards IS : 844 Part 1 and Part II latest	4
3	<u>Terminal screw Driver 75 mm (Connector)</u> Conformity to Standards IS : 844 Part 1 and Part II latest Medium Grip Screwdrivers Insulation on Blade Tip Size (a x b) in mm x mm 0.6 x 5 Shape of Blade: Round, high grade silicon 75 mm (Connector) manganese steel, magnitised tip Length of Blade in mm: 75	26
4	<u>Knife Double Bladed Electrician</u> Folding type: 100 mm length TWIN BLADES: One straight one curved Blade: Carbon steel Handle: Wooden, user friendly	38
5	<u>Plumb bob 115 grams</u> Body Material: Cast Iron, Weight:200 g Shape: Conical, Head: Wood / plastic	40
6	<u>Neon tester pencil bit type 500Volt</u> Conformity to Standards I.S.5579 -1985, Length of Handle : 100 millimeter Handle Material : Cellular Acetate Plastic , Length of Blade :100 millimeter Blade Plating: Nickel Chrome Material of Blade :Silicon-Manganese Steel Tip Thickness : 0.5 millimeter Maxmum Voltage for Testing (Direct Current) : 500 Volt	42

7	<u>Try square 200 mm</u> Blade material: Stainless Steel Length of Blade: 200 mm Width of Blade of in mm (with ± 2 mm tolerance) 30 Graduations marking should be provided on blade Stock: Cast Iron	19
8	<u>D.E. metric Spanner</u> Set of 6 (from 6x7 to 16x17) (6x7, 8x9, 10x11 ,12x13, 14x15, 16x17) Material: Chrome Vanadium Steel Head Style: Open End Finish Type: Powder C o a t e d Should confirm IS 2028:2004	25
9	<u>Screw driver set (set of 5) 100- 300 mm</u> Conformity to Standards IS : 844 Part I and Part II latest Electrician screw driver insulated blade Size: (100,150,200,250,and 300 mm) set of 5 Nos Shape of Blade: Round, high grade silicon manganese steel, magnitised tip	26
10	<u>File half round 2nd cut</u> 250 mm with wooden handle Material: High carbon steel (IS 1931-2000)	40
11	<u>File round 2nd cut</u> 150 mm 2nd cut with wooden handle Material: High carbon steel (IS 1931-2000)	41
12	<u>Soldering iron with stand (60w/240v)</u> rubber griphandle IS 959 (Latest) Bitttype:Knife Bit tip temp: 350° C	41
13	<u>Neon tester 230 Volt</u> Conformity to Standards I.S.5579 -1985, Length of Handle : 100 millimeter, Handle Material : Cellular AcetatePlastic, Length of Blade :75 millimeter, Blade Plating: Nickel Chrome Material of Blade :Silicon-Manganese Steel Tip Thickness:1 millimeter Maxmum Voltage for Testing (Direct Current) : 500 Volt	42
14	<u>Steel measuring tape Pocket type</u> Case material: ABS Blade material: Stainless steel Size,(m): 5, Lock Button:YES Blade width,(inch): 1 Blade thickness,(mm): 2	42
15	<u>Bradawl 150 mm x 6mm</u> Square pointed, wooden handle, Blade:Alloysteel BIS 10375 - 1982	38
16	<u>Set of Rawal punch</u> Material: Carbon steel Shank Type: Hex Size: 8, 10 mm	42
17	<u>Wooden mallet</u> 1 kg. (75mm x 15mm) hard wood	42

The tender should be superscribed as "Govt.ITI Chalakudy Wireman trade Trainees Tool Kit", Tender Number and addressed to the Principal, Govt.ITI Chalakudy, Thrissur -680307. More details can be had from the office on all working days at prescribed office hours.

Tender Notice Number : ITI/CKDY/1091/2025-B1

Cost of Tender Form : 0.20 % of Tender amount (Rounded to the nearest multiples of 100) (Minimum of ₹600/- & Max: 1,500/-)

EMD : 1 % of total cost

Last date of sale of tender form : 16/01/2026 - 4 P M

Last date of receipt of tender : 17/01/2026 - 3 P M

Date & time of opening of tender : 17/01/2026 - 4 P M

Those who wish to get the tender forms by post should sent an extra amount of ₹ 100/- by way of money order. No other form of remittance will be accepted. On satisfactory acceptance of tender, it should accompanied by an agreement in ₹200/-Kerala stamp paper and security deposit @ 5% of tender amount. Warranty/Guaranty of the items should be mentioned in tender. The rate of items should be valid till 25/03/2026. The tenders are not transferable.

Principal

Signed by Sindu Paul

Date: 22-12-2025 13:03:29

വ്യാവസായിക പരിശീലന വകുപ്പ്ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/CKDY/1091/2025-B1

തീയതി: 22-12-2025

തൃശ്ശൂർ ജില്ലയിലെ, ചാലക്കുടി ഗവ. ഐ.ടി.ഐ യിലെ വയർമാൻ (Wireman) ട്രേഡിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസുകൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ ചാലക്കുടി ഗവ. ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

ക്രമ നമ്പർ	സാധനങ്ങളുടെ പേര്, സ്പെസിഫിക്കേഷൻ	എണ്ണം
1	<u>Steel rule 300 m</u> Nominal Size (cm): 30 Type of Steel Scale (Graduation on both edges): BB Certification Steel Scale confirming to IS: 1481 Material :Spring Steel	38
2	<u>Screw Driver 200 m</u> Length of Blade in mm :200 Insulation on Blade, Length of Handle in mm: 100 ,Tip Size (a x b) in mm x mm: 1.2 x 8.0 Shape of Blade: Round, high grade silicon manganese steel, magnetised tip, Conformity to Standards IS : 844 Part 1 and Part II latest	4
3	<u>Terminal screw Driver 75 mm (Connector)</u> Conformity to Standards IS : 844 Part 1 and Part II latest Medium Grip Screwdrivers Insulation on Blade Tip Size (a x b) in mm x mm 0.6 x 5 Shape of Blade: Round, high grade silicon 75 mm (Connector) manganese steel, magnetised tip Length of Blade in mm: 75	26
4	<u>Knife Double Bladed Electrician</u> Folding type: 100 mm length TWIN BLADES: One straight one curved Blade: Carbon steel Handle: Wooden, user friendly	38
5	<u>Plumb bob 115 grams</u> Body Material: Cast Iron, Weight: 200 g Shape: Conical, Head: Wood /plastic	40
6	<u>Neon tester pencil bit type 500Volt</u> Conformity to Standards I.S.5579 -1985, Length of Handle : 100 millimeter Handle Material : Cellular Acetate Plastic , Length of Blade :100 millimeter Blade Plating: Nickel Chrome Material of Blade :Silicon-Manganese Steel Tip Thickness : 0.5 millimeter Maxmum Voltage for Testing (Direct Current) : 500 Volt	42
7	<u>Try square 200 mm</u> Blade material: Stainless Steel Length of Blade: 200 mm Width of Blade of in mm (with ± 2 mm tolerance) 30 Graduations	19

	marking should be provided on blade Stock: Cast Iron	
8	<u>D.E. metric Spanner</u> Set of 6 (from 6x7 to 16x17) (6x7, 8x9, 10x11, 12x13, 14x15, 16x17) Material: Chrome Vanadium Steel Head Style: Open End Finish Type: Powder Coated Should confirm IS 2028:2004	25
9	<u>Screw driver set (set of 5) 100- 300 mm</u> Conformity to Standards IS : 844 Part I and Part II latest Electrician screw driver insulated blade Size: (100,150,200,250,and 300 mm) set of 5 Nos Shape of Blade: Round, high grade silicon manganese steel, magnitised tip	26
10	<u>File half round 2nd cut</u> 250 mm with wooden handle Material: High carbon steel (IS 1931-2000)	40
11	<u>File round 2nd cut</u> 150 mm 2nd cut with wooden handle Material: High carbon steel (IS 1931-2000)	41
12	<u>Soldering iron with stand (60w/240v)</u> rubber griphandle IS 959 (Latest) Bitttype:Knife Bit tip temp: 350° C	41
13	<u>Neon tester 230 Volt</u> Conformity to Standards I.S.5579 -1985, Length of Handle : 100 millimeter, Handle Material : Cellular AcetatePlastic, Length of Blade :75 millimeter, Blade Plating: Nickel Chrome Material of Blade :Silicon-Manganese Steel Tip Thickness:1 millimeter Maxmum Voltage for Testing (Direct Current) : 500 Volt	42
14	<u>Steel measuring tape Pocket type</u> Case material: ABS Blade material: Stainless steel Size,(m): 5, Lock Button:YES Blade width,(inch): 1 Blade thickness,(mm): 2	42
15	<u>Bradawl 150 mm x 6mm</u> Square pointed, wooden handle, Blade:Alloysteel BIS 10375 - 1982	38
16	<u>Set of Rawal punch</u> Material: Carbon steel Shank Type: Hex Size: 8, 10 mm	42
17	<u>Wooden mallet</u> 1 kg. (75mm x 15mm) hard wood	42

ദർഘാസ് നമ്പർ

: ITI/CKDY/1091/2025-B1

ദർഘാസ് വില

: ടെണ്ടർ തുകയുടെ 0.20 %ത്തെ 100൯൭൦

ഏറ്റവും അടുത്ത ഗുണിതത്തിലേക്ക്

നിജപ്പെടുത്തിയ തുക (കറഞ്ഞത് -600

രൂപ, പരമാവധി -1,500 രൂപ) +ജി.എസ്.ടി

നിരത ദ്രവ്യം : മൊത്ത വിലയുടെ 1 % ടെണ്ടറിന്റെ കൂടെ

വക്കേണ്ടതാണ്.

ദർഘാസ് വിലപ്പനയുടെ അവസാന തീയതി സമയം : 16. 01. 2026, 4 PM

മുദ്രവച്ച ദർഘാസുകൾ സ്വീകരിക്കുന്ന

അവസാന തീയതി, സമയം : 17.01. 2026 - 3 P M

ദർഘാസുകൾ തുറക്കുന്ന തീയതി, സമയം : 17.01. 2026 - 4 PM

സ്ഥലം : ഗവ.ഐ ടി, ചാലക്കുടി

ദർഘാസ് വില പണമായോ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 100/- (നൂറ്) രൂപ മാത്രം ദർഘാസ് വിലക്ക് പുറമേ അയക്കേണ്ടതാണ്. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം, ടെണ്ടർ തുകയുടെ 5 % സെക്യൂരിറ്റി ഡെപ്പോസിറ്റ് എന്നിവ ടെണ്ടർ അംഗീകരിക്കുന്ന മുറയ്ക്ക് സമർപ്പിക്കേണ്ടതാണ്. ഇനങ്ങളുടെ വാറന്റി/ഗ്യാരണ്ടി സംബന്ധിച്ച് ടെണ്ടറിൽ സൂചിപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് 25/03/.2026 തീയതി വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറാൻ പാടില്ല . ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവ. ഐ.ടി.ഐ ചാലക്കുടി ,ചാലക്കുടി പി ഒ, തൃശ്ശൂർ 680 307 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

പ്രിൻസിപ്പാൾ

Signed by Sindu Paul

Date: 22-12-2025 13:04:52

ഗവ.ഐ.ടി.ഐ ചാലക്കുടി
 ചാലക്കുടി.പി.ഒ, തൃശ്ശൂർ -680307
 കേരള;
ഇ-മെയിൽ : coe.itichalakudy@gmail.com

ITI/CKDY/1091/2025-B1

തീയതി: 22-12-2025

ദർഘാസ് പരസ്യം

ഈ സ്ഥാപനത്തിലെ വയർമാൻ ട്രേഡിലേക്ക് Trainees Tool Kit വിതരണം നടത്താൻ താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മൂല വച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ട്രേഡർ നമ്പരും ട്രേഡർ തുറക്കുന്ന തീയതിയും അടങ്കൽ തുകയും	സാധന സാമഗ്രികൾ	ഒറിജിനൽ ഫാറത്തിന്റെ വില	പകർപ്പിന്റെ വില
1	2	3	4	5
1	ITI/CKDY/1091/2025-B1 @ 17/01/2026 ,4 P M Rs. 2,96,510/-	Trainees Tool Kit	Rs.600/- + GST @ 18%	Rs.300/- + GST@18%

നിരത ദ്രവ്യം

: Rs.3000 /-

ട്രേഡർ ഫോറം വിൽപ്പനക്ക്

ലഭിക്കുന്ന സ്ഥലം

: ഗവ.ഐ.ടി.ഐ ചാലക്കുടി,

ചാലക്കുടി.പി.ഒ, തൃശ്ശൂർ, 680 307,

കേരള.

മൊത്തം അടങ്കൽതുക

: 2,96,510/-

പ്രിൻസിപ്പാൾ

Tender No: ITI/CKDY/1091/2025-B1 for the purchase of Trainees Tool Kit in Wireman Trade at Govt ITI Chalakudy, Chalakudy PO, Thrissur.

Cost of original form of Tenders : Rs. 600/- + GST @18%
Cost of duplicate form of tenders : Rs. 300/- + GST @ 18%
Due date for the opening of tenders : 17/01/2026, 04.00 p.m
Due date for the receipt of tenders : 17/01/2026, 03.00 p.m
Date up to which the rates are to be remained same : 25.03.2026

Name and designation of the officer to whom the
The tenders are to be submitted : Smt. Sindupaul, Principal,
Govt. ITI, Chalakudy-680 307.

Name of Office : Government ITI Chalakudy,
Thrissur.

Name of Items : Trainees Tool Kit

Principal

Signed by Sindu Paul
Date: 22-12-2025 13:06:59