

വ്യാവസായിക പരിശീലന വകുപ്പ്റീ-ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/CKDY/1059/2025-B1

തീയതി: 19-12-2025

തൃശ്ശൂർ ജില്ലയിലെ, ചാലക്കുടി ഗവ. ഐ.ടി.ഐ യിലെ വയർമാൻ (Wireman) ട്രേഡിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസുകൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ ചാലക്കുടി ഗവ. ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

ക്രമ നമ്പർ	സാധനങ്ങളുടെ പേരും സ്പെസിഫിക്കേഷനും	എണ്ണം
1	<u>Conduit pipe bending machine, suitable for 15 mm,18 mm, 25 mm and 30 mm pip:-</u> Conduit pipe bending machine, suitable 10 ton Manual Hydraulic Pipe Bender External diameter of die: upto 34mm Machine Bending Formers: ϕ 13, ϕ 16, ϕ 19, ϕ 22, ϕ 25, ϕ 34 mm External Diameter of dies : ϕ 13 - 34 mm Wall Thickness of Pipe: 2 ~ 3.5 mm.	2
2	<u>Soft starter 1 PH :-</u> Soft starter 1HP, 240 V single phase AC full speed in max.10-15 seconds. Thyristor controlled, suitable for single phase induction motor, Phase angle control (self – synchronized), For adjusting ramp time and jump-start voltage level.	2
3	<u>Battery Charger 15 V, Current controlled :-</u> Battery Charger, input AC 240v, output DC voltage tappings at 6 V, 9V 12 V 24V and 48V. Current ratings- 30A. Input side and output side volt meter and ammeter	2
4	<u>Immersion Heater 1500 Watt, 240V :-</u> Immersion heater Insulation Material: High pure MgO, Material of tube: sheath SS201, Shape: U shape, Working Temperature(max): 350 degree Celsius, Voltage 240 Volt, Power: 1.5 kiloWatt, Features: Excellent thermal conductivity, Corrosion resistant, Less power Certification CE, ROHS	2
5	<u>DMX Controller:-</u> DMX Controller (a) DMX Controller DMX512 Input voltage: AC200-240, 50- 60HZ, Total channel number: 192 groups, Max controlled channels: 16CHs, Max procedure step: 40 steps, Scene pause time: 1-25.5 second/step, Scene graduation speed: 0.1-25.5 second Display monitor: LED DMX512 output interface 3 core XLR needle	1

	(b) Par Light Item description: led, light (3 w * 54) Operation mode: automatic, acoustic, DMX 512, master-slave synchronization, etc Rated voltage: AC100V - 240 - v, 50/60 hz Rated power: 164 w Total power: 200 w, Number of lights: 54 3w led (R18 a G12 B12 W6) DMX access way: 8 DMX channels Control mode: walk, master-slave, DMX.	2
6	Control Pane l5' x 3' x 1.5':- Control Panel pannel board size : 5'x3'x1.5' material : CRCA sheet 1.8 mm and angle iron base , provition for fixing 100A MCCB, 3 Nos of indicator, 3 Ammeter, 1 volt meter, and selector switch. Coated withb gray paint	2

ദർഘാസ് നമ്പർ

: ITI/CKDY/1059/2025-B1

ദർഘാസ് വില

: ടെണ്ടർ തുകയുടെ 0.20 %ത്തെ 100 ന്റെ

ഏറ്റവും അടുത്ത ഗുണിതത്തിലേക്ക്

നിജപ്പെടുത്തിയ തുക (കുറഞ്ഞത് -500

രൂപ, പരമാവധി -1,500 രൂപ) +ജി.എസ്.ടി

നിരത ദ്രവ്യം

: മൊത്ത വിലയുടെ 1 % ടെണ്ടറിന്റെ കൂടെ

വക്കേണ്ടതാണ്.

ദർഘാസ് വില്പനയുടെ അവസാന

തീയതി സമയം

: 12.01. 2026, 4 PM

മുദ്രവച്ച ദർഘാസുകൾ സ്വീകരിക്കുന്ന

അവസാന തീയതി, സമയം

: 13.01.2026 3 PM

ദർഘാസുകൾ തുറക്കുന്ന തീയതി, സമയം

: 13.01. 2026, 4 PM

സ്ഥലം

: ഗവ.ഐ ടി ഐ, ചാലക്കുടി

ദർഘാസ് വില പണമായോ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 100 /-(നൂറ്) രൂപ മാത്രം ദർഘാസ് വിലക്ക് പുറമേ അയക്കേണ്ടതാണ്. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം,ടെൻഡർ തുകയുടെ 5% സെക്യൂരിറ്റി ഡെപ്പോസിറ്റ് എന്നിവ ടെൻഡർ അംഗീകരിക്കുന്ന മുറയ്ക്ക് സമർപ്പിക്കേണ്ടതാണ്. ഇനങ്ങളുടെ വാറന്റി /ഗ്യാരന്റി സംബന്ധിച്ച് ടെൻഡറിൽ സൂചിപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് 20/ 03/ 2026 തീയതി വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറാൻ

പാടില്ല. ദർഘാസ് നമ്പർ, തിയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവ.
ഐ.ടി.ഐ ചാലക്കുടി, ചാലക്കുടി പി ഒ തൃശ്ശൂർ 680 307 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

പ്രിൻസിപ്പാൾ

Signed by Sindu Paul

Date: 19-12-2025 17:15:48

INDUSTRIAL TRAINING DEPARTMENT
RE-TENDER NOTICE

No:ITI/CKDY/1059/2025-B1

Dt: 19-12-2025

Sealed tenders are invited for supplying the following items for Govt.ITI Chalakudy, Railway Station Road, Chalakudy.P.O, Thrissur, Pin-680 307.The Items should be supplied at the store.

Sl No	Name of items and specifications	Quantity
1	<u>Conduit pipe bending machine, suitable for 15 mm,18 mm, 25 mm and 30 mm pip:-</u> Conduit pipe bending machine, suitable 10 ton Manual Hydraulic Pipe Bender External diameter of die: upto 34mm Machine Bending Formers: ϕ 13, ϕ 16, ϕ 19, ϕ 22, ϕ 25, ϕ 34 mm External Diameter of dies : ϕ 13 - 34 mm Wall Thickness of Pipe: 2 ~ 3.5 mm	2
2	<u>Soft starter 1 PH :-</u> Soft starter 1HP, 240 V single phase AC full speed in max.10-15 seconds. Thyristor controlled, suitable for single phase induction motor, Phase angle control (self – synchronized), For adjusting ramp time and jump-start voltage level	2
3	<u>Battery Charger 15 V. Current controlled :-</u> Battery Charger, input AC 240v, output DC voltage tapings at 6 V, 9V 12 V 24V and 48V. Current ratings- 30A. Input side and output side volt meter and ammeter	2
4	<u>Immersion Heater 1500 Watt, 240V :-</u> Immersion heater Insulation Material: High pure MgO, Material of tube: sheath SS201, Shape: U shape, Working Temperature(max): 350 degree Celsius, Voltage 240 Volt, Power: 1.5 kiloWatt, Features: Excellent thermal conductivity, Corrosion resistant, Less power Certification CE, ROHS	2
5	<u>DMX Controller:-</u> DMX Controller a. DMX Controller DMX512 Input voltage: AC200-240, 50- 60HZ, Total channel number: 192 groups, Max controlled channels: 16CHs, Max procedure step: 40 steps, Scene pause time: 1-25.5 second/step, Scene graduation speed: 0.1-25.5 second Display monitor: LED DMX512 output interface 3 core XLR needle	1

	(b) Par Light Item description: led, light (3 w * 54) Operation mode: automatic, acoustic, DMX 512, master-slave synchronization, etc Rated voltage: AC100V - 240 - v, 50/60 hz Rated power: 164 w Total power: 200 w, Number of lights: 54 3w led (R18 a G12 B12 W6) DMX access way: 8 DMX channels Control mode: walk, master-slave, DMX	2
6	Control Pane l5' x 3' x 1.5':- Control Panel pannel board size : 5'x3'x1.5' material : CRCA sheet 1.8 mm and angle iron base , provition for fixing 100A MCCB, 3 Nos of indicator, 3 Ammeter, 1 volt meter, and selector switch. Coated withb gray paint	2

The tender should be superscribed as "Govt.ITI Chalakudy Wireman trade equipments", Tender Number and addressed to the Principal, Govt.ITI Chalakudy, Thrissur -680 307. More details can be had from the office on all working days at prescribed office hours.

Tender Notice Number : ITI/CKDY/1059/2025-B1

Cost of Tender Form :0.20 % of Tender amount (Rounded to the nearest multiples of 100) (Minimum of ₹500/- & Max: 1,500/-)

EMD : 1 % of total cost

Last date of sale of tender form : 12/01/2026 - 3 P M

Last date of receipt of tender : 13/01/2026 - 3 P M

Date & time of opening of tender : 13/01/2026 - 4 P M

Those who wish to get the tender forms by post should sent an extra amount of ₹ 100/- by way of money order. No other form of remittance will be accepted.On acceptance of tender it should accompanied by an agreement in ₹200/-Kerala stamp paper and security deposit @5% of tender amount should be remitted within stipulated time period.Warranty/Guaranty of items should be specified in tender. The rate of items should be valid till 20 /03/2026. The tenders are not transferable.

Principal

Signed by Sindu Paul

Date: 19-12-2025 17:14:05

ഗവ.ഐ.ടി.ഐ ചാലക്കുടി
ചാലക്കുടി.പി.ഒ, തൃശ്ശൂർ -680 307 കേരള;
ഇ-മെയിൽ : coe.itichalakudy@gmail.com

ITI/CKDY/1059/2025-B1

-
തീയതി: 19-12-2025ദർഘാസ് പരസ്യം

ഈ സ്ഥാപനത്തിലെ വയർമാൻ ട്രേഡിലേക്ക് Light Machine Equipments വിതരണം നടത്താൻ താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മൂല വച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ടെണ്ടർ നമ്പരും ടെണ്ടർ തുറക്കുന്ന തീയതിയും അടങ്കൽ തുകയും	സാധന സാമഗ്രികൾ	ഒറിജിനൽ ഫാറത്തിന്റെ വില	പകർപ്പിന്റെ വില
1	2	3	4	5
1	ITI/CKDY/1059/2025-B1 @ 13/01/2026 ,4 P M Rs. 2,27,000/-	Light Machine Equipments	Rs.500/- + GST @ 18%	Rs. 250/- + GST@18%

നിരത ദ്രവ്യം : Rs.2,270/- (ടെണ്ടർ തുകയുടെ 1 %)

ടെണ്ടർ ഫോറം വിൽപ്പനക്ക്

ലഭിക്കുന്ന സ്ഥലം

: ഗവ.ഐ.ടി.ഐ ചാലക്കുടി,

ചാലക്കുടി.പി.ഒ, തൃശ്ശൂർ, 680307, കേരള.

മൊത്തം അടങ്കൽതുക

: 2,27,000/-

പ്രിൻസിപ്പാൾ

Re-Tender No: ITI/CKDY/1059/2025-B1 for the purchase of Light Machine Equipments in Wireman Trade at Govt ITI Chalakudy, Chalakudy P O, Thrissur-680 307.

Cost of original form of Tenders

: Rs. 500/- + GST @18%

Cost of duplicate form of tenders

: Rs. 250/- + GST @ 18%

Due date for the opening of tenders : 13/01/2026, 04.00 p.m
Due date for the receipt of tenders : 13/01/2026, 03.00 p.m
Date up to which the rates are to be remained same : 20.03.2026

Name and designation of the officer to whom the
tenders are to be submitted : Smt. Sindupaul, Principal, Govt.
ITI, Chalakudy.

Name of Office : Government ITI, Chalakudy,
Thrissur.

Name of Items : Light Machine Equipments.

Principal

Signed by Sindu Paul

Date: 19-12-2025 17:17:24