ഉള്ളടക്കം: നോട്ടീസ്

ഭരണഭാഷ മാതൃഭാഷ
വ്യാവസായിക പരിശീലന വകുപ്പ്
(കേരള സംസ്ഥാനം)

ഗവ ഐ ടി ഐ ചാക്ക
തിരുവനന്തപുരം.
തീയതി :16-10-2026

No: ITI-CHCK/430/2026-B5

അറിയിപ്പ്

****

ഈ സ്ഥാപനത്തിലെ MABP ട്രേഡിലേക്ക് ഉപകരണങ്ങൾ സംഭരിക്കുന്നതിന് - ടെണ്ടർ ക്ഷണിക്കുന്നു- വിശദവിവരങ്ങൾ www.det.kerala.gov.in എന്ന website ൽ ലഭ്യമാണ്.കൂടുതൽ വിവരങ്ങൾക്ക് 0471 2502612 എന്ന ഫോൺ നമ്പരിൽ ബന്ധപ്പെടുക.

പ്രിന്സിപ്പാള്

Generated from eOffice by Sreenivas N K, TA2 DTTVPM, TA2 DTTVPM, INDUSTRIAL TRAINING DEPARTMENT on 24/10/2026 12:19 PM

INDUSTRIAL TRAINING INSTITUTE

(KERALA STATE)

GOVT ITI Chackai, Thiruvanathapuramn

-695007 Phone:- 0471-2502612

No:ITI-CHCK/430/2026-B5

Dated16-10-2026

TENDER NOTICE

sealed competitive tenders are invited from approved firms /companies /traders for the Procurement of Tools and Equipment for Mechanic Auto MABP trade at industrial training institute , in Chackai ,Tvpm. details are given below.

Sl No	Tender N o and Items	Last Date and time of sale of tend er	Last date and time of receipt of seal ed Tender.	Date and time of opening of sealed Tend er	Cost of Form (inclu ding 18% GST)		Earnest Money Deposit
					Original	Duplicate	
1	2	3	4	5	6		7
1	B5/06/2026	29/10/2026 at 3 pm	30/10/2026 at 3 Pm	30/10/2026 04.00 pm	472	236	2758/-

The cost of the Tender Forms will be accepted only by Cash or Money Order .The Tender should be super scribed with Tender number and date addressed to **The Principal, Govt. ITI Chackai, Beach Road,Tvpm-695007.** Late Tenders will not be accepted. The above mentioned amount should be enclosed as Earnest Money Deposit. **There must be a Validity period of three months from the date of opening the Tenders** . Otherwise the tenders will be summarily rejected. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth Rs.200/-(Rupees Two Hundred only), Otherwise the Tender will not be considered. The Stamp Paper will be forwarded to the firms outside Kerala if required by remitting Rs.225 (Rupees Two hundred and Twenty Five only) separate by money order (Rs 25/- is intended to cover postage and incidental expenses). Detailed specification of items required can be obtained from the office of the under signed during office hours. The details are available in the website **www.itichackai.kerala.gov.in.**

PRINCIPAL

പ്രിൻസിപ്പാൾ
തൊഴിൽപരിശീലന സ്ഥാപനം
ചാക്ക, തിരുവനന്തപുരം-695007.

ഗവ.ഐ.ടി.ഐ.ചാക്ക
ബീച്ച് പി.ഒ, തിരുവനന്തപുരം
ഫോൺ : 0471-2502612 , email: theprincipalititvpm@gmail.com

നമ്പർ : No:ITI- CHCK/430/2026-B5 തീയതി : 16-10-2

ദർഘാസ് പരസ്യം

വ്യാവസായിക പരിശീലന വകുപ്പിലെ ചാക്ക ഗവ ഐ ടി ഐ ലെ MABP ട്രേഡിലേക്ക് എകുപ്മെന്റ്സ് സംഭരിക്കുന്നതിന് താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്ര വച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു .

ക്രമ നമ്പർ	ദർഘാസ് നമ്പർ. ഇനം	ദർഘാസ് വിൽക്കുന്നതിനുള്ള അവസാന തീയതി	ദർഘാസ് സ്വീകരിക്കുന്നതിനുള്ള അവസാന തീയതി	ദർഘാസ് തുറക്കുന്നതിനുള്ള അവസാന തീയതി	ദർഘാസിന്റെ 18 % വില(GST) ഉൾപ്പെടെ		നിരത ദ്രവ്യം
					Original	Duplicate	
1	2	3	4	5	6		7
1	B5/6/2025	29/10/2026 at 3 Pm	30/10/2026 at 3 PM	30/10/ 2026 4.00 pm	472	236	2758/-

ദർഘാസിന്റെ വില പണമായിട്ടോ മണിയോർഡർ ആയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ . ദർഘാസ് നമ്പർ തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്ര വച്ച കവറുകൾ **പ്രിൻസിപ്പാൾ, വ്യാവസായിക പരിശീലന കേന്ദ്രം ,ബീച്ച് റോഡ് ,ചാക്ക, തിരുവനന്തപുരം -695007** എന്ന വിലാസത്തിലേക്ക് അയയ്ക്കേണ്ടതാണ്.താമസിച്ചു ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല .ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം മേൽ പറഞ്ഞ തുക നിരത ദ്രവ്യം ആയും 200 രൂപ (ഇരുന്നൂറ് രൂപ മാത്രം)വിലയുള്ള കേരള സർക്കാർ മുദ്ര പത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ് . **ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ മൂന്ന് മാസം വരെ വില നിരക്ക് പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കണം.**അല്ലാത്ത ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല .കേരളത്തിന് പുറത്തുള്ള കമ്പനികൾക്ക് മുദ്രപത്രം ആവശ്യമുണ്ടെങ്കിൽ 225 രൂപ മണിയോർഡർ ആയി അയച്ചു തന്നാൽ ഈ ഓഫീസിൽ നിന്നും മുദ്രപ്പത്രം വാങ്ങി അയച്ചു തരുന്നതാണ് .(മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ). ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല .വിശദ വിവരങ്ങൾക്ക് **www.det.kerala.gov.in** എന്നാ വെബ് സൈറ്റിൽ ലഭ്യമാണ് .

Digitally signed by Shajahan A
Date: 16-10-2026 15:19:39

പ്രിൻസിപ്പാൾ

File No. DT/4592/2026-E1-Part(1) (Computer No. 981476)
Generated from eOffice by Sreenivas N K, TA2 DTTVPM, TA2 DTTVPM, INDUSTRIAL TRAINING DEPARTMENT on 24/10/2026 12:19 PM

Sl. No.	Sl. No. as per syllabus	Name of the Tool & Equipment	Recommended Specification	Chackai
1.	25.	Adjustable spanner	Adjustable Spanner , Min. Length 350 mm, Made by Chrome Vanadium Steel , Jaw Width 43 mm	2
2.	26.	Air blow gun with standard accessories	Max. Air Pressure 8 Bar , 15 x 5 x 4 cm , 5 Meter Hose (For Compressed Air), Hose Connectore	1
3	27.	Air impact wrench with standard accessories	Max. Air Pressure 8 Bar , Impact socket and accessories. Sizes: 9, 10, 11, 13, 14, 17, 19, 22, 24, 27 mm,extension bar, oil pot, mini oiler, hex wrench and nipple with BSP air inlet.Speed 10000rpm, Torque 970 Nm, Square drive size 1/2 inch, Handle type- pistol	4
4	28.	Air ratchet with standard accessories	Max. Air Pressure 8 Bar, Max. tightening torque 60NM, No-Load rpm : 160rpm ,Air consumption under load - 8Ltr/Sec, Housing material - aluminium, Square drive size 1/2 inch.	4
5	29.	Allen Key set	12 pieces (2mm to 14mm) , IS 3082-1988 , high grade alloy steel.	2
6	37.	Caliper inside	IS 4052:1983 ,15 cm , Spring Joint , Made by Stainless Steel or High Carbon Steel	4
7	38.	Calipers outside	IS 4052:1983 ,15 cm , Spring Joint , Made by Stainless Steel or High Carbon Steel	2
8	41.	Chisel	Min Length : 100 mm , High grade carbon steel , Hardness : 55 - 57 HRC on cutting edge , 35 - 45 HRC on Head, Octagon Body.	4
9	42.	Chisels cross cut	Min Length : 200 mm , Cutting Edge : Min. 6 mm , High grade carbon steel , Hardness : 55 - 57 HRC on cutting edge , 35 - 45 HRC on Head , Octagon Body.	4
10	63.	Dividers	15 cm , Spring Joint , Made by Stainless Steel or High Carbon Steel	4
11	68.	Electric Solderinglron	230 v 60 watts - 1 No. 230 v 25 watt - 1 No. Power : Electric	2
12	69.	Electric testing screwdriver	IS 5579-1985 , Length : 200 mm , Tip Size : 4.0 X 0.6 , Voltage: AC 100-500V , Insulated Shank & Illuminated Handle	2
13	72.	File flat	20 cm High carbon Steel made, bastard, With Handle IS1931-2000	4
14	73.	File,halfround	20 cm High carbon Steel made, second cut , half round , With Handle IS1931-2000	4

Generated from eOffice by Sreenivas N K, TA2 DTTVPM, TA2 DTTVPM, INDUSTRIAL TRAINING DEPARTMENT on 24/10/2026 12:19 PM

15	74.	File,Square	20 cm High carbon Steel made, second cut , Square , With Handle, IS1931-2000	4
16	75.	File,Square	30 cm High carbon Steel made, second cut , Square , With Handle -IS1931-2000	4
17	76.	File,triangular	15 cm High carbon Steel made, second cut , triangular ,With Handle -IS1931-2000	4
18	79.	Flat File	35 cm High carbon Steel made, bastard , Flat , With Handle, -IS1931-2000	4
19	86.	Hacksaw frame adjustable	Hacksaw frame adjustable (20-30 cm) , Flat Frame , Overall Length : 450mm , Material : Steel	10
20	92.	Hand operated crimping tool	(i)Hand Operated Crimping Tool - Capacity : Min. 4 mm Wire , Made By Carbone Steel with Insulated Handle (ii)Hand Operated Crimping Tool - Capacity : Min. 10 mm Wire , Made By Carbone Steel with Insulated Handle	2
21	94.	Hand Shear Universal	Hand Shear Universal Type , Blade Length : Min. 250 mmCutting Capacity - MS : 2.5 mm , SS : 1 mm	2
22	95.	Hand vice	Hand Vice - Jaw width : 50 mm , Wing Nut & Spring Type , Made By High Grade Cast Iron	2
23	97.	Insulated Screw driver	IS 844-1979 , Insulated Shank , Shank Length 200mm , Dia 6mm , Made out of High Grade Steel and Transparent green cellulose acetate handle	2
24	98.	Insulated Screw driver	IS 844-1979 , Insulated Shank , Shank Length 300mm , Dia 6mm , Made out of High Grade Steel and Transparent green cellulose acetate handle	2
25	103.	Magneto spanner	Magneto Spanner - Open Ened Spanner set of 8 no. Size : 4 to 7.5 mm , Made by CrV Steel	1
26	117.	Pipecuttingtool	Roller type with flare cut off groove, fold away reamer and spare cutting wheel under reamer, max size upto 25 mm , Ratchet type cutting	2
27	120.	Pliersflatnose	IS 2615-1989 Pliers flat nose : 15 cm Forged steel, Insulated handle , Lay-on -Joint type	2
28	121.	Pliersroundnose	IS 2615:1989 , 15 cm Forged steel, Insulated handle , Lay-on -Joint type	2
29	128.	Scraper flat	Flat Scraper - Lenth : 250 mm , made of high carbon steel , with handle	4
		Set of stock and	Die stock & Dies complete sets , HSS made, Metric threads (Complete Set of 6mm to	

Generated from eOffice by Sreenivas N K, TA2 DTTVPM, TA2 DTTVPM, INDUSTRIAL TRAINING DEPARTMENT on 24/10/2026 12:19 PM

30	133.	dies - Metric	24mm) Branded,New in a wooden box With Suitable Die Stock	2
31	141.	Spanner D.E.	IS 2028-2004 , Made from high grade steel Drop Forged Steel , Set of (6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22,21x23, 24x27, 25x28, 30x32 mm) 12 Nos , Chrome Finish	4
32	143.	Spanner, adjustable	IS 6149-1984, Adjustable Spanner , Min. Length 150 mm, Made by Chrome Vanadium Steel	2
33	144.	Spanner, ring	Made from high grade steel Drop Forged Steel , Set of (6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22,21x23, 24x27, 25x28, 30x32 mm) 12 Nos , Chrome Finish	2
34	145.	Spanners socket	Spanners socket(8,9,10,11,12,13, 14,15,16,17,18,19,21,22 23,24,26,27,28,29,30,32 mm) with speed handle, T-bar, ratchet and universal , 12.7mm Square Drive	2

വ്യവസായിക പരിശീലന സ്ഥാപനം ചാക്ക, തിരുവനന്തപുരം-695007

പ്രിൻസിപ്പാൾ
വ്യവസായിക പരിശീലന സ്ഥാപനം
ചാക്ക, തിരുവനന്തപുരം-695007

Generated from eOffice by Sreenivas N K, TA2 DTTVPM, TA2 DTTVPM, INDUSTRIAL TRAINING DEPARTMENT on 24/10/2026 12:19 PM