

INDUSTRIAL TRAINING INSTITUTE
(KERALA STATE)
GOVT ITI Chackai, Thiruvananthapuram
-695007 Phone:- 0471-2502612

No:ITI-CHCK/603/2025-B5

Dated 14-01-2026

TENDER NOTICE

sealed competitive tenders are invited from approved firms /companies /traders for the Procurement of Tools and Equipments for Mechanic Auto Electrical and Electronic trade at industrial training institute , in Chackai ,Tvp. details are given below.

Sl No	Tender No and Items	Last Date and time of sale of tender	Last date and time of receipt of sealed Tender.	Date and time of opening of sealed Tender	Cost of Form (including 18% GST)		Earnest Money Deposit
					Original	Duplicate	
1	2	3	4	5	6		7
1	B5/11/2025	27/01/2026 at 3 pm	28/01/2026 at 3PM	28/01/2026 04.00 pm	472	236	2350/-

The cost of the Tender Forms will be accepted only by Cash or Money Order .The Tender should be super scribed with Tender number and date addressed to **The Principal, Govt. ITI Chackai, Beach Road,Tvp-695007**. Late Tenders will not be accepted. The above mentioned amount should be enclosed as Earnest Money Deposit. **There must be a Validity period of three months from the date of opening the Tenders** . Otherwise the tenders will be summarily rejected. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth Rs.200/-(Rupees Two Hundred only), Otherwise the Tender will not be considered. The Stamp Paper will be forwarded to the firms outside Kerala if required by remitting Rs.225 (Rupees Two hundred and Twenty Five only) separate by money order (Rs 25/- is intended to cover postage and incidental expenses). Detailed specification of items required can be obtained from the office of the under signed during office hours. The details are available in the website **www.itichackai.kerala.gov.in**.

PRINCIPAL

ഗവ.ഐ.ടി.ഐ.ചാക്ക

ബീച്ച് പി.ഒ, തിരുവനന്തപുരം

ഫോൺ : 0471-2502612 , email: theprincipalititvpm@gmail.com

നമ്പർ : No:ITI-CHCK/580/2024-B5

തീയതി : 14-01-2026

ദർഘാസ് പരസ്യം

വ്യാവസായിക പരിശീലന വകുപ്പിലെ ചാക്ക ഗവ ഐ ടി ഐ ലെ MAEE ട്രേഡിലേക്ക് ടുൾസ് ആൻഡ് എക്യുപ്മെന്റ്സ് സംഭരിക്കുന്നതിന് താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്ര വച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു .

ക്രമ നമ്പർ	ദർഘാസ് നമ്പർ. ഇനം	ദർഘാസ് വിൽക്കുന്ന തിനുള്ള അവസാന തീയതി	ദർഘാസ് സ്വീകരിക്കുന്നതിനുള്ള അവസാന തീയതി	ദർഘാസ് തുറക്കുന്നതിനുള്ള അവസാന തീയതി	ദർഘാസിന്റെ 18 % വില(GST) ഉൾപ്പെടെ		നിരത റൂപ്യം
					Original	Duplicate	
1	2	3	4	5	6		7
1	B5/11/2025	27/01/2026 at 3 Pm	28/01/2026 at 3 PM	28/01/2026 04.00 pm	472	236	2350/-

ദർഘാസിന്റെ വില പണമായിട്ടോ മണിയോർഡർ ആയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ . ദർഘാസ് നമ്പർ തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, വ്യാവസായിക പരിശീലന കേന്ദ്രം ,ബീച്ച് റോഡ് ,ചാക്ക, തിരുവനന്തപുരം -695007 എന്ന വിലാസത്തിലേക്ക് അയയ്ക്കേണ്ടതാണ്.താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല .ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം മേൽ പറഞ്ഞ തുക നിരത റൂപ്യം ആയും 200 രൂപ (ഇരുന്നൂറ് രൂപ മാത്രം)വിലയുള്ള കേരള സർക്കാർ മുദ്ര പത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ് . ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ മൂന്ന് മാസം വരെ വില നിരക്ക് പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കണം.അല്ലാത്ത ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല .കേരളത്തിന് പുറത്തുള്ള കമ്പനികൾക്ക് മുദ്രപത്രം ആവശ്യമുണ്ടെങ്കിൽ 225 രൂപ മണിയോർഡർ ആയി അയച്ചു തന്നാൽ ഈ ഓഫീസിൽ നിന്നും മുദ്രപ്പത്രം വാങ്ങി അയച്ചു തരുന്നതാണ് .(മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ). ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല .വിശദ വിവരങ്ങൾക്ക് www.itichackaikerala.gov.in എന്ന വെബ് സൈറ്റിൽ ലഭ്യമാണ് .

പ്രിൻസിപ്പാൾ

Signed by Dileepan.b.s

Date: 14-01-2026 12:52:06

LIST OF ITEMS

Sl No	Name Of the Tool	Specification	Quantity
1	Allen Key set of 12 pieces	Allen Key set - set of 12 pieces (2mm to 14mm) Hexagonal key, complete set. Vanadium steel made.	4
2	Caliper inside	inside caliper with 15cm with Hardened and tempered bows springs and fulcrum spools, forged steel legs feature hardened points for precise marking of the work piece	12
3	Caliper outside	outside caliper with 15 cm with Hardened and tempered bow springs and fulcrum spools, forged steel legs feature hardened points for precise marking of the work piece	12
4	Dividers	High steel grade body makes it strong and corrosion-resistant with 15 cm with hardened and tempered spring	2
5	Scriber	15cm, curved double ended scriber features knurled body to provide a positive grip and used for marking & scoring metals, laminates, plastics and other materials	12
6	Spanner D.E. set of 12 pieces	12 spanners 6x7m, 8x9m, 10x11m, 12x13m, 14x15m, 16x17m, 18x19m, 20x22m, 21x23m, 24x27m, 25x28m, 30x3, which is made of chrome vanadium steel Coated with nickel Chrome to protect from rust or corrosion	12
7	Spanners socket with speed handle, T-bar, ratchet and universal	1pc 1/2" Drive Quick Release Ratchet, 2pc 1/2" Drive Extensions Patented gripping designed to out perform conventional drive configuration 24pcs 1/2 inch Square Drive 6 Point Socket Set made with nickel chrome alloy	8

8	Steel tool box with lock and key (folding type)	Five compartments, made with stainless steel with 400x200x150 mm	10
9	AC alternator slip ring puller	AC alternator slip ring puller-Steel made, 3 legs, 3' size	1
10	Allen Key set of 12 pieces	Allen Key set - set of 12 pieces (2mm to 14mm) Hexagonal key, complete set. Vanadium steel made.	2
11	Chisel crosscut	Chisel - crosscut 200mm X 6mm Octagonal stock	4
	Circlip pliers		

12	Expanding and contracting type	Circlip pliers - contracting type 15cm and 20cm each, with hardened tips.	2
13	Cleaning tray	Cleaning tray - 45x30cm. Leak proof, corrosion resistant type and 22 gauge thickness.	4
14	Copper bit soldering iron	Soldering Copper - Hatc hot type 500gms 250w, 240vac	2
15	Dividers	Dividers - 15cm Spring type, steel made With Hardened tips	2
16	Drift Punch	15Cm, Drift Punch Copper COPPER MADE	4

	pper		
17	Drillpoint angle gauge	Angle setting by rotor is convenient as the tip angle gauge of the cutting material (with tip angle 60°/70°/ 90°/125°/135°/150° scale)	1
18	Executive Auto Electrical tool kit	1/2" Drive Socket Accessories: Heavy Duty Ratchet, 75, 125 and 250mm Extensions, Universal Joint, Flex Bar 1/2" Drive Spark Plug Sockets: 5/8 and 13/16" 1/2" Drive Standard Sockets: Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm A/F: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4" 1/4" Drive Socket Accessories: Heavy Duty Ratchet 50 and 150mm Extensions, Universal Joint, Socket Driver, Bit Holder 1/4" Drive Standard Sockets: Metric: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10 mm A/F : 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8" 152 mm Diagonal Cutting Pliers, 152mm Long Nose Pliers, 178 mm Combination Pliers 33 Assorted 1/4" Bits, Screwdriver, Hex and Torx. Adjustable Wrench: 300mm Combination Spanners: Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm A/F : 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" Hex Key Set-Long Ball Type-1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Screwdrivers: Slotted 5x100mm, 6x150mm Phillips: 1x100mm, 2x150mm	1
		Files assorted sizes (15cm)) Should confirm IS 1931: 2000 (20 Nos) Flat file, hand file, round file, half round file, square file, triangular file, safe edge	

	file, rasp file, setting file and warding files, Hardened	
--	---	--

19	Files assortment sizes and types including safety edge file (20 Nos)	Steel With 15cm and 20cm sizes each, Plastic Handles (Inset) new	2
20	Flat File	File - flat 35 cm second cut, Hardened Steel, Plastic Handle	2
21	Hacksaw frame adjustable	20-30cm with hollow frame adjustable	6
22	Hammer Ball Peen	Hammer ballpeen-0.75kg Forged steel, handle. IS 841-1983	2
23	Hammer Chip ping	Hammer ballpeen-0.25kg Forged steel, handle.	2
24	Hammer Copper	1kg made with copper with wooden handle	2
25	Hammer Plastic	Hammer Plastic-250gm, handle IS 10838-1984	2
26	Hand operated crimping tool	i) for crimping up to 4mm and (ii) for crimping up to 10mm	2

27	Handreamer s adjustable	Handreamers-adjustable 10.5 to 11.25 mm, 11.25 to 12.75 mm, 12.75 to 14.25 mm and 14.25 to 15.75 mm HS S complete set with h handle.	2
28	Hand Shear Universal	Hand Shear-Universal 250 mm	2
29	Hollow Punch h set of seven pieces	Hollow Punch-set of seven pieces 6 mm to 15 mm (Quantity in Sets) with standard length and knurled grip.	1
30	Left cut snips	Left cut snips-250 mm	4
31	Magnet spanner set with 8 spanners	Magnet spanner-set with 8 spanners Metric, hole in a single pin joint.	1

32	Oil Stone	15 cm X 5 cm X 2.5 cm made with carbide and diamond	1
33	Philips Screw Driver set of 5 pieces	Philips Screw Driver set of 5 pieces (100 mm to 300 mm) with hardened tip	1
34	Scriber	Scriber-15 cm Hardened steel IS 844-1979	2
35	Scriber with scrib- bing block univer-	Scriber-with scribing block universal With solid base, swivel pole and all accessories. (Un	2

	rsal	iversal scribe block)	
36	SpannerClyburn	Spanner-Clyburn15cm	1
37	Spanner D.E. se t of 12 pieces	Constructedfromhighstrengthdr opforgedandheat treated chrome vanadium steel Corrosionandrustresistantchromeplatingfin ishfor durabilityandextendedtoollife12pieceshigh qualityspannersthat exceeds IS Standard:6mmx7mm,8 mmx9 mm,10mmx11mm, 12mmx 13mm, 14 mmx15 mm,16 mmx 17 mm, 18 mm x 1 9 mm, 20 mm x 22 mm, 21mm x 23 mm, 24m m x 27mm, 25 m mx28mm, 30 mmx 32mm	4
38	SpannerT.floc ksforscrewing up and up-screw ing in accessible posit ions	13pcssetincludes1T-handlewre nchand12socket s of 8mm, 9m m, 10mm, 1 1mm,12mm,13 mm,14m m, 1 5mm, 16mm, 1 7mm, 18mm, 1 9mm.	2
	Spanners so cket with sp eed ha ndle, T-bar,rate h	1/2"DriveParts: Sockets:6mm-,32mm,Universal Joint&Extension Bar 125mm, S park Plug Sockets: 16, 21mm. KnurledSockets:Includes knurledsocketsforasecuregripan dimproved handling. Durable Material: Made from hi gh-quality Chrome VanadiumSt eelforenhancedstrengthanddura bility	

	et and unive rs alupto32 mm		
--	-----------------------------------	--	--

39	set of 28 pieces with box		2
40	Sparklighter	Sparklighter	2
41	Sparkplug spanner	16/18/21mm Universal Spark Plug Socket Wrench Set, 4-Piece with T-Handle, 360-Degree Rotation for Easy Spark Plug Removal	1
42	Stud extractors set of 3	High Carbon Steel 3-Piece Damaged Bolt & Stud Remover	2
43	Stud remover with socket handle	1/2 Drive Stud Extractor Puller Remover, Used in Workshops, Garages, Auto Repairing Shops, Auto Companies	1

PRINCIPAL

Signed by Dileepan.b.s

Date: 20-12-2025 15:44:50