

INDUSTRIAL TRAINING DEPARTMENT
TENDER NOTICE

No:ITI/CKDY/1058/2025-B1

Dt: 22-07-2026

Sealed tenders are invited for supplying the following items for Govt.ITI Chalakudy, Railway Station Road, Chalakudy.P.O, Thrissur, Pin-680307.The Items should be supplied at the store.

Sl No.	Name of the items and specifications	Number
1	<u>Hydraulic crimping tool for UG cable crimping with bits 20 Sq. mm to 250 sq mm-</u> Hydraulic crimping tool for UG cable crimping with bits Type of Product: Hydraulic Wire Terminal Crimper Crimping Range:16-300mm2Size: 16,25,35,50,70,95,120,150,185,240,300sq.mm St roke: 20mm, Load Capacity: 16 TonRotation: 180	2
2	<u>Crimping tool 25 mm-</u> Crimping tool Crimping Type :Trapezoid, Body Material : Metal,Maximum crimping capacity in S qmm50, Minimum crimping capacity in Sqmm : 6 ISI marked	1
3	<u>Crimping tool heavy duty-</u> Crimping tool heavy duty hydraulic Weight in Kg: 3-3.4, Crimping Type : Hexagon, Body Material: Metal, Stroke : 12 mm, Changeble Die's feature : Yes, Length in mm : 160-200, Maximum crimping capacity in Sqmm: 400, Minimum crimping capacity in Sqmm :16Crimping Force in newton : 12, Crimping die's provided (mm) 50 ,Packing Plastic casing ISI marked	1
4	<u>Crimping tool 9" Hex Series -</u> Coaxial connector crimping tool, Crimping range:6.5, 5.4, 1.72mm/RG 58,59,62,140,142,303,223,40 0, fiber optic, belden 8279 cableCrimping tool 9"Hex series-	2
5	<u>Small crimping tools (assorted) 10- 100 mm (5 Nos.)-</u> Small Crimping Tools(Assorted):10-100Mm (5Nos) Description: jaw set- carbon steel grade SC M440 Frame: material steel grade S45C Handle: PP for better grip ISI marked	2
6	<u>Crimping tool for telephone/LAN cable-</u> Crimping tool for telephone/LAN cable Package Content : RJ4 5 Crimp tool kit Maximum crimping capacity in Sqmm 4, Minimum crimping capacity in Sqmm 0.08, Crimping die's provided (mm) 4, Packing Plastic casing	2
7	<u>Set of Wall jumper-</u> octagonal 37mm X 450mm and37 X 600mm-Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm Material: vanadium steel	8
8	<u>Pliers round nose insulated 200 mm-</u> Pliers Round nose 200 mm insulated heavy skin pack [IS 4378 (Part 1)) Material : Alloy Steel	10
9	<u>Screw driver heavy duty 300 mm-</u> Screw driver heavy duty Conformity to Standards IS : 844 Part 1 and Part II latest Electricians Screwdrivers Tip Size (a x b) in mmx mm: 2 x 13.0 Shape of Blade:Round Length of Blade	5

	in mm :300, Insulation on Blade: Yes Length of Handle in mm: 110	
10	Gauge -wire imperial stainless steelmarked in SWG& mm Wire Gauge - Metric-Standard Wire Gauge Material:Stainless Steel Measuring Range:0 to 36 swg and diameter in mm	5
11	Rawal tool holder & Bit No. 8, 10,14, & 16 -Rawal tool holder & Bit No. 8,10, 14, & 16 Material: carbon steel, fully heat-treated and zinc plated.ISI Marked	3
12	Foot print Grip 250 mm -Foot print Grip 250 mm Material:Alloy Steel Adjustable tool precision milled and hardened teeth, pressed steel frame with hardened fulcrum bolt, jaw adjustment 1/16" to 3"	4
13	Electric soldering iron 125 watts 23 0-250 V -Electric soldering iron with stand: 125 W, 240V ,Temperature Range: 350 Degree C - 450 Degree C Frequency: 50Hz , Cord Length: 1.5 m Handle: Plastic with rubber grip	1
14	Forge with hand blower- Forge with hand blower Blower Specification6” casing,Cast iron gear 1:28 Gear ratio 1-4/5” outer dia. for outlet ,Ground steel worm shaft Furnace Specification Cast Iron Furnace, Bowl size - 7. 5 Inch, Length - 15 Inch, Height -8 Inch,Weight - 10 kg	2
15	Scissors blade, SS 200 mm -Scissors blade, SS Material of Blade: Stainless Steel ,Handle Material:Plastic Blade Length: 200 millimeter Blade Thickness (mm) 2.5	2
16	Trowel150 mm -Trowel:Type of trowel: Pointed,Material of Blade:Steel, Material of Tang: High tensile steel, Material of Handle: Phenolic moulding material, Overall Length of Hand le (in mm): 150, Material Coating of Blade: Hard chromium Hardness of Trowel Blade (in HRC) 50-55	4

The tender should be superscribed as "Govt.ITI Chalakudy Wireman trade equipment" along with Tender Number and addressed to the Principal, Govt.ITI Chalakudy, Thrissur - 680307. More details can be had from the office on all working days at prescribed office hours.

Tender Notice Number : ITI/CKDY/1058/2025-B1

Cost of Tender Form : ₹400+GST 18%

EMD : ₹1578/-

Last date of sale of tender form :10.08.2026, 5.00 pm

Last date of receipt of tender :11.08.2026, 2.00 pm

Date & time of opening of tender :11.08.2026, 3.00pm

Those who wish to get the tender forms by post should sent an extra amount of ₹100/- by way of money order. No other form of remittance will be accepted. The tender should accompanied by an agreement in ₹200/-Kerala stamp paper and security deposit @5 % of tender amount. Warranty/Guaranty of the items should be mentioned in tender. The rate of items should be valid till 30.11.2026. The tenders are not transferable.

Principal

Digitally signed by
Rajesh V Chandran
Date: 22-07-2026
16:11:28

ഗവ.ഐ.ടി.ഐ ചാലക്കുടി
ചാലക്കുടി.പി.ഒ,തൃശ്ശൂർ -680307

കേരളം;

ഇ-മെയിൽ : cru.itickldy@kerala.gov.in

ITI/CKDY/1058/2025-B1

തീയതി: 22-07-2026

ദർശന പരസ്യം

ഈ സ്ഥാപനത്തിലെ വയർമാൻ ട്രേഡിലേക്ക് ഉപകരണങ്ങൾ വിതരണം നടത്താൻ താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുൻ വച്ച ദർശനങ്ങൾ ക്ഷണിച്ച് ച്കൊള്ളുന്നു.

ക്രമ നമ്പർ	ടെണ്ടർ നമ്പരും ടെണ്ടർ തുറക്കുന്ന തീയതിയും അടങ്കൽ തുകയും	സാധന സാമഗ്രികൾ	ഒറിജിനൽ ഫാറത്തിന്റെ വില	പകർപ്പിന്റെ വില
1	2	3	4	5
1	ITI/CKDY/1058/2025-B1 ,തീയതി:11.08.2026 Rs. 157750/-	Equipment	Rs.400/- + GST @ 18%	Rs.200/- + GST@18%

നിരത വ്രവ്യം : ₹1578/-/- (ടെണ്ടർ തുകയുടെ 1 %)

ടെണ്ടർ ഫോറം വിൽപ്പനക്ക്

ലഭിക്കുന്ന സ്ഥലം : ഗവ.ഐ.ടി.ഐ ചാലക്കുടി, ചാലക്കുടി.പി.ഒ

തൃശ്ശൂർ , 680307, കേരളം.

മൊത്തം അടങ്കൽതുക :₹157750/-

പ്രിൻസിപ്പാൾ

Tender No: ITI/CKDY/1058/2025-B1 for the purchase of Light Machine Equipment in Wireman Trade at Govt ITI Chalakudy, Chalakudy PO, Thrissur 680 307.

Cost of original form of Tenders : Rs. 400/- + GST @18%

Cost of duplicate form of tenders : Rs. 200/- + GST @ 18%

Due date for the receipt of tenders : 11.08.2026, 2.00 pm

Due date for the opening of tenders : 11.08.2026, 3.00pm

Date up to which the rates are to be remained same : 30.11.2026

Name and designation of the officer to whom the tenders are to be submitted : Sri. Rajesh V Chandran , Principal, Govt. ITI, Chalakudy

Name of Office : Government ITI, Chalakudy, Thrissur.

Name of Items : Equipment for wireman trade.

Principal

വ്യാവസായിക പരിശീലന വകുപ്പ്

ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/CKDY/1058/2025-B1

തീയതി: 22-07-2026

തൃശ്ശൂർ ജില്ലയിലെ, ചാലക്കുടി ഗവ. ഐ.ടി.ഐ യിലെ വയർമാൻ (Wireman) ട്രേഡിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസുകൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ ചാലക്കുടി ഗവ. ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

ക്രമ നമ്പർ	സാധനങ്ങളുടെ പേരും സ്പെസിഫിക്കേഷനും	എണ്ണം
1	Hydraulic crimping tool for UG cable crimping with bits 20 Sq. mm to 250 sq mm- Hydraulic crimping tool for UG cable crimping with bits Type of Product: Hydraulic Wire Terminal Crimper Crimping Range:16-300mm2Size: 16,25,35,50,70,95,120,150,185,240,300sq.mm St roke: 20mm, Load Capacity: 16 TonRotation: 180	2
2	Crimping tool 25 mm- Crimping tool Crimping Type :Trapezoid, Body Material : Metal,Maximum crimping capacity in S qmm50, Minimum crimping capacity in Sqmm : 6 ISI marked	1
3	Crimping tool heavy duty- Crimping tool heavy duty hydra - ulic Weight in Kg: 3-3.4, Crimping Type : Hexagon, Body Materi al: Metal, Stroke : 12 mm, Changeble Die's feature : Yes, Length in mm : 160-200, Maximum crimping capacity in Sqmm: 400, Minimum crimping capacity in Sqmm :16 - Crimping Force in newton : 12, Crimping die's provided (mm) 50 ,Packing Plastic casing ISI marked	1
4	Crimping tool 9” Hex Series - Coaxial connector crimping tool, Crimping range:6.5, 5.4, 1.72mm/RG 58,59,62,140,142,303,223,40 0, fiber optic, belden 8279 cableCrimping tool 9”Hex series-	2
5	Small crimping tools (assorted) 10- 100 mm (5 Nos.)- Small Crimping Tools(Assorted):10-100Mm (5Nos) Description: jaw set- carbon steel grade SC M440 Frame: material steel grade S45C Handle: PP for better grip ISI marked	2
6	Crimping tool for telephone/LAN cable- Crimping tool for telephone/L AN cable Package Content : RJ4 5 Crimp tool kit Maximum crimping capacity in Sqmm 4, Minimum crimping capacity in Sqmm 0.08, Crimping die's provided (mm) 4, Packing Plastic casing	2
7	Set of Wall jumper- octagonal 37mm X 450mm and37 X 600mm-Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm Material: vanadium steel	8
8	Pliers round nose insulated 200 mm- Pliers Round nose 200 mm	10

അവസാന തീയതി, സമയം :11.08.2026, 2.00 pm

ദർഘാസുകൾ തുറക്കുന്ന തീയതി, സമയം 11.08.2026, 3.00 pm

സ്ഥലം : ഗവ.ഐ ടി ഐ, ചാലക്കുടി

ദർഘാസ് വില പണമായോ, മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 100 /-(നൂറ്) രൂപ മാത്രം ദർഘാസ് വിലക്ക് പുറമേ അയക്കേണ്ടതാണ്. 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം ടെണ്ടറിന്റെ കൂടെ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് 30.11.2026 വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈ മാറാൻ പാടില്ല. ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവ. ഐ.ടി.ഐ ചാലക്കുടി, ചാലക്കുടി പി ഒ തൃശ്ശൂർ 680 307 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

പ്രിൻസിപ്പാൾ