

വ്യാവസായിക പരിശീലന വകുപ്പ്
ടെണ്ടർ നോട്ടീസ്

നമ്പർ : ITI/PECH/301/2025-P2

തീയതി: 23-01-2026

തൃശ്ശൂർ ജില്ലയിലെ, പീച്ചി ഗവ. ഐ.ടി.ഐ യിലെ ഇലക്ട്രിഷ്യൻ പവർ ഡിസ്ട്രിബ്യൂഷൻ (ELPD) ട്രേഡിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സംഭരണം ചെയ്യുന്നതിന് സീലുവച്ച ദർഘാസുകൾ ഷണിച്ച് കൊള്ളുന്നു. സാധനങ്ങൾ പീച്ചി ഐ.ടി.ഐ സ്റ്റോറിൽ എത്തിക്കേണ്ടതാണ്.

Sl No	Name of items and specifications	Quantity
1	Ohm Meter; Series Type Portable box type a) Ohm Meter; Series Type 0-2000-ohm analog, portable box type Housed In bakelite case with Knife edge pointer	2Nos
2	Ohm Meter; Shunt Type, Portable box type b)Ohm Meter; Shunt Type 0-50 ohm analog, portable box type Housed in bakelite case with Knife edge pointer	2No
3	A.C.Voltmeter M.I. analog, portable box type housed in Bakelite case A.C Voltmeter M.I, Multi range 75V-150V-300V-600V, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length accuracy 0.5	3No
4	Milli Voltmeter center zero analog, portable box type housed in Bakelite case Milli Voltmeter DC centre zero 100-0-100 mV, Analoge, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	2 No
5	Ammeter MC analog, portable box type housed in Bakelite case a.Ammeter M.C. 0-500mA, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length accuracy 0.5A	2Nos
6	Ammeter MC analog, portable box type housed in Bakelite case b.Ammeter M.C. 0-5A, Analog, portable box surface type Housed in	2 No

	bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	
7	Ammeter MC analog, portable box type housed in Bakelite case c. Ammeter M.C. 0-25A, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length accuracy 0.5A	2 No
8	AC Ammeter MI, analog, portable box type housed in Bakelite case a. AC Ammeter MI 0-1 A, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	2No
9	AC Ammeter MI, analog,portable box type housed in Bakelite case b.A.C. Ammeter M I 0-5 A, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	2 No
10	AC Ammeter MI, analog,portable box type housed in Bakelite case c.A.C. Ammeter MI 0-25 A, Analog,portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	2 No
11	Digital Energy Meter a)A.C. Energy Meter Electronics, Single phase 10 Amp, 240V digital type	2 No
12	Digital Energy Meter b)A.C. Energy Meter, Electronics, Three phase 15 Amp, 440V digital type	2No
13	Power Factor Meter Digital Power Factor Meter ,Digital,440V,20A,3 phase portable box type, suitable to measure PF zero to unity lag and lead	2 No
14	Tachometer	1 No

	Tachometer analog type measure up to 10000 RPM	
15	Tachometer Tachometer - digital photosensor type 10000 RPM	1No
16	Earth resistivity testor ABS body IS 9223/1979,3.5 digit	1No
17	Synchroscope Portable synchroscope meter, 440V, 50 Hz, size 96X96 mm ,mounted in wood/poly carbon enclosure with terminals, IS 1248	1No
18	Digital multi-function meter Digital 3phase LED multi function meter,accuracy CLASS 1,multi function meter	1 No
19	D.C. milli ammeter Ammeter M.C. 0-500mA, Analog,portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length accuracy 0.5A	1No
20	Hygrometer Digital hygrometer with LCD display, 0-100 RH	1 No

ദർശാസ് നമ്പർ : ITI/PECH/301/2025-P2

ദർശാസ് വില : ₹400+GST 18%

നിരത രൂപ്യം : ₹1579/-

ദർശാസ് വിൽപ്പനയുടെ അവസാന തീയതി , സമയം : 09/02/2026 3PM

മുദ്രവച്ച ദർശാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി , സമയം : 09/02/2026 5PM

ദർശാസുകൾ തുറക്കുന്ന തീയതി , സമയം : 10/02/2026 3PM

ദർഘാസ് വില പണമായും മണി ഓർഡർ മുഖേനയോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. തപാലിൽ ലഭിക്കേണ്ടവർ 50 /-(അമ്പത്) രൂപ മാത്രം ദർഘാസ് വിലക്ക് പുറമേ അയക്കേണ്ടതാണ് 200/- രൂപയുടെ കേരള സ്റ്റാമ്പ് പേപ്പറിൽ തയ്യാറാക്കിയ പ്രാഥമിക കരാർ പത്രം ടെണ്ടറിന്റെ കൂടെ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിൽ കാണിച്ചിരിക്കുന്ന തുകക്ക് ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ രണ്ട് മാസം വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈ മാറാൻ പാടില്ല. ദർഘാസ് നമ്പർ ,തീയതി എന്നിവ രേഖപ്പെടുത്തിയ മുദ്ര വച്ച കവറുകൾ പ്രിൻസിപ്പാൾ , ഗവ. ഐ.ടി.ഐ പീച്ചി, പീച്ചി പി.ഒ, തൃശ്ശൂർ 680653 എന്ന വിലാസത്തിൽ ലഭിക്കേണ്ടതാണ്

പ്രിൻസിപ്പാൾ

Signed by

Rahana P H

Date: 23-01-2026 14:43:05

**INDUSTRIAL TRAINING DEPARTMENT
TENDER NOTICE**

No:TI/PECH/301/2025-P2

Dated:23-01-2026

Sealed competitive tenders are invited for supplying the following items for Electrician Power Distribution Govt.ITI Peechi, Peechi.P.O, Thrissur,Pin-680653. The Items should be supplied at the store.

Sl No	Name of items and specifications	Quantity
1	Ohm Meter; Series Type Portable box type a) Ohm Meter; Series Type 0-2000-ohm analog, portable box type Housed In bakelite case with Knife edge pointer	2Nos
2	Ohm Meter; Shunt Type, Portable box type b)Ohm Meter; Shunt Type 0-50 ohm analog, portable box type Housed in bakelite case with Knife edge pointer	2No
3	A.C.Voltmeter M.I. analog, portable box type housed in Bakelite case A.C Voltmeter M.I, Multi range 75V-150V-300V-600V, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length accuracy 0.5	3No
4	Milli Voltmeter center zero analog, portable box type housed in Bakelite case Milli Voltmeter DC centre zero 100-0-100 mV, Analoge, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	2 No
5	Ammeter MC analog, portable box type housed in Bakelite case a.Ammeter M.C. 0-500mA, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length accuracy 0.5A	2Nos
6	Ammeter MC analog, portable box type housed in Bakelite case b.Ammeter M.C. 0-5A, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale	2 No

	of 140mm length	
7	Ammeter MC analog, portable box type housed in Bakelite case c. Ammeter M.C. 0-25A, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length accuracy 0.5A	2 No
8	AC Ammeter MI, analog, portable box type housed in Bakelite case a. AC Ammeter MI 0-1 A, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	2No
9	AC Ammeter MI, analog,portable box type housed in Bakelite case b.A.C. Ammeter M I 0-5 A, Analog, portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	2 No
10	AC Ammeter MI, analog,portable box type housed in Bakelite case c.A.C. Ammeter MI 0-25 A, Analog,portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length	2 No
11	Digital Energy Meter a)A.C. Energy Meter Electronics, Single phase 10 Amp, 240V digital type	2 No
12	Digital Energy Meter b)A.C. Energy Meter, Electronics, Three phase 15 Amp, 440V digital type	2No
13	Power Factor Meter Digital Power Factor Meter ,Digital,440V,20A,3 phase portable box type, suitable to measure PF zero to unity lag and lead	2 No
14	Tachometer Tachometer analog type measure up to 10000 RPM	1 No

15	Tachometer Tachometer - digital photosensor type 10000 RPM	1No
16	Earth resistivity testor ABS body IS 9223/1979,3.5 digit	1No
17	Synchroscope Portable synchroscope meter, 440V, 50 Hz, size 96X96 mm ,mounted in wood/poly carbon enclosure with terminals, IS 1248	1No
18	Digital multi-function meter Digital 3phase LED multi function meter,accuracy CLASS 1,multi function meter	1 No
19	D.C. milli ammeter Ammeter M.C. 0-500mA, Analog,portable box surface type Housed in bakelite case with knife edge pointer and anti parallel mirror scale of 140mm length accuracy 0.5A	1No
20	Hygrometer Digital hygrometer with LCD display, 0-100 RH	1 No

Tender Notice Number : ITI/PECH/301/2025-P2

Cost of Tender Form : ₹400+18% GST

EMD : ₹1579/-

Last date of sale of tender form : 09/02/2026 3 PM

Last date of receipt of tender : 09/02/2026 5 PM

Date & time of opening of tender : 10/02/2026 3 P M

The cost of the Tender Forms will be accepted only by Cash or Money Order. The Tender should be superscribed with Tender number and date addressed to the Principal, Govt. ITI Peechi, Peechi P O, Thrissur -Pin-680653. Late Tenders will not be accepted. Tender will be subjected to latest Store Purchase manual related rules. There must be a validy period of two months from the date of opening the Tenders. The tenders in original should be accompanied

with preliminary agreement in Kerala Stamp Paper worth ₹200/-, If stamp paper is needed for companies out side kerala, the stamp paper will be sent across on receipt of ₹230/- by Money order. More details can be had from the office on all working days at prescribed office hours.

Principal

Signed by

Rahana P H

Date: 23-01-2026 14:44:30

ഗവ: ഐ.ടി.ഐ. പീച്ചി

പീച്ചി പി ഒ., പിൻ: 680653, തൃശ്ശൂർ കേരളം.



Contact No : 9947300036

E Mail: itipeechi@gmail.com;

നമ്പർ :ITI/PECH/301/2025-P2

തീയതി:23-01-2026

പ്രിൻസിപ്പാൾ

ട്രെയിനിംഗ് ഡയറക്ടർ
ട്രെയിനിംഗ് ഡയറക്ടറേറ്റ്
തിരുവനന്തപുരം

സർ,

വിഷയം : ഗവ .ഐ ടി ഐ പീച്ചി -Electrician Power Distribution ട്രെയിനേജിനുള്ള ഉപകരണ സംഭരണം-ടെൻഡർ നോട്ടീസ് വെബ്സൈറ്റിൽ പ്രസിദ്ധീകരിക്കുന്നത് -സംബന്ധിച്ച്

സൂചന: 16-12-2025 തീയതിയിലെ DT/6013/2025-E6 നമ്പർ ഉത്തരവ്

സൂചനയിലേക്ക് അങ്ങയുടെ ശ്രദ്ധ ക്ഷണിക്കുന്നു.ഈ സ്ഥാപനത്തിലെ Electrician Power Distribution ട്രെയിനേജിന് Measuring Instruments ജെം മുഖേന സംഭരിക്കുവാൻ സാധിക്കാത്തതിനാൽ ടെൻഡർ ക്ഷണിച്ച വിവരം അറിയിക്കുന്നു.ടി വിവരങ്ങൾ വെബ്സൈറ്റിൽ പ്രസിദ്ധീകരിക്കുന്നതിനുള്ള മേൽ നടപടികൾ സ്വീകരിക്കുന്നതിനായി ടെണ്ടർ നോട്ടീസ് ഉള്ളടക്കം ചെയ്യുന്നു.

വിശ്വസ്തയോടെ

പ്രിൻസിപ്പാൾ

ഉള്ളടക്കം : ടെൻഡർ നോട്ടീസ്

Signed by
Rahana P H

Date: 23-01-2026 14:45:19